

LaserJet Enterprise MFP M725 series M725dn • M725f • M725z • M725z+



(800) LASER-20 | www.lasercare.com

Enable large-volume printing on a wide range of paper sizes—up to Ledger/A3—with a 4,600-sheet maximum input capacity.² Preview and edit scanning jobs. Centrally manage printing policies. Safeguard sensitive business information.

Print speed:12 Up to 40 ppm black (letter)

Print resolution: Up to 1200 x 1200 dpi black (best)

Scan resolution: Up to 600 x 600 dpi hardware, Up to 600 dpi Optical

Standard connectivity: 2 Hi-Speed USB 2.0 Host, 1 Hi-Speed USB 2.0 Device, 1 Gigabit Ethernet 10/100/1000T network, 1 Foreign Interface, 1 Hardware Integration Pocket, 2 Internal USB Host

Duplex print options: Automatic (standard)

Mobile printing capability: HP ePrint, Apple AirPrint™



(HP LaserJet Enterprise MFP M725dn shown)



HP LaserJet Enterprise
MFP M725f

Expand your options with sharp Ledger/A3 printing

- Empower your teams to do more—print, scan, copy, and fax¹ on paper sizes up to Ledger/A3—from a desktop-sized MFP.
- Stay focused on work—paper capacity up to 4,600 sheets and high-capacity cartridges limit interruptions.^{2,4}
- Get impressive document quality with near edge-to-edge printing and a convenient, built-in stapler.⁵
- Print what you need, even on the go—from your smartphone or tablet—using HP ePrint³ or Apple AirPrint™.⁶

Quicken your business pace

- Streamline tasks—print, scan, copy, and fax¹ projects directly at the MFP's large color touchscreen.
- Save time by launching one-touch workflows with HP Quick Sets.
- Get just the results you need—using touchscreen controls to preview, edit, and reorder scans at the device.
- Easily send scanned files to a fax, folder, email, or USB.
 Print right from a memory device via the USB port.

Manage and protect your fleet for the long run

- Simplify fleet management using world-class tools such as HP Web Jetadmin,⁷ and reliably safeguard devices.
- Safeguard data—at rest or in transit—with an encrypted hard drive, user authentication, and security features.
- Add security tools—such as card and badge readers via the hardware integration pocket.⁸
- Extend the capabilities of workteam print environments, using a rich array of easy-to-integrate solutions.

Help save energy and reduce environmental impact

- Reduce energy use with HP Auto-On/Auto-Off Technology,⁹ and conserve power with Instant-on Technology.¹⁰
- Conserve resources and save paper—use automatic two-sided printing.
- Easily recycle Original HP LaserJet toner cartridges through HP Planet Partners.¹¹

HP EcoSolutions

- Reduce energy use with Instant-on Technology.¹
- Reduce paper use by up to 50%, using automatic two-sided printing.
- Reduce waste—scan, store, and distribute documents digitally.

Join HP in more sustainable printing **hp.com/ecosolutions**



1 Compared with products that use traditional fusing



HP LaserJet Enterprise

MFP M725z

HP LaserJet Enterprise MFP M725z+

¹ Fax capabilities are available with an optional fax card on the HP LaserJet Enterprise MFP M725dn. ² Maximum paper capacity of 4,600 sheets requires the purchase of optional paper tray accessories. ³ Requires an Internet connection to HP web-enabled printer and HP ePrint accounts registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see hpconnected.com). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP LaserJet printers may require firmware upgrades. ⁴ High-capacity cartridges are optional for the HP LaserJet Enterprise 200 MFP Series M725. ⁵ In-line stapler is not available on the HP LaserJet Enterprise MFP M725dn or M725f. ⁵ Supports the following devices running iOS 4.2 or later: iPad⁶, iPad⁶ 2, iPhone⁶ (3G Sor later), iPod touch⁶ (3rd generation or later). Works with HP's AirPrint-enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint, the AirPrint Logo, iPad, iPhone, and iPod touch are trademarks of Apple⁶ inc., registered in the U.S. and other countries. ⁷ HP Web Jetadmin is free and can be downloaded at hp.com/go/webjetadmin. ⁶ Solutions deployed throad begloyed throad be

HP LaserJet Enterprise MFP M725 series

- 1 100-sheet automatic document feeder
- 2 Intuitive 8-inch pivoting color touchscreen control panel with FutureSmart firmware and scan preview
- 3 Hardware integration pocket (HIP) for solution integration
- 4 Easy-access USB port to save and print files directly
- 5 In-line stapler with 500-sheet output bin
- 6 Built-in automatic two-sided printing
- 7 Two 250-sheet input trays, one supporting up to legal and one supporting up to ledger/A3
- 8 3,500-sheet high-capacity feeder and stand for a 4,100-sheet total input capacity
- 9 250-sheet output bin
- 10 Side door allows convenient access to the all-in-one HP print cartridge
- 11 100-sheet multipurpose tray 1 supports a wide variety of paper sizes and types
- 12 800 MHz processor, 1 GB standard memory
- 13 Two internal USB Host ports (for connecting third-party devices)
- 14 HP High-Performance Secure Hard Disk
- 15 Fax port
- 16 Foreign Interface port
- 17 HP Jetdirect Gigabit Ethernet print server
- 18 Hi-Speed USB 2.0 device port
- 19 Hi-Speed USB 2.0 Host port

HP LaserJet Enterprise MFP M725z+ printer shown



Series at a glance









	M725dn MFP	M725f MFP	M725z MFP	M725z+ MFP
Part number	CF066A	CF067A	CF068A	CF069A
Gigabit Ethernet networking	✓	✓	✓	✓
Automatic two-sided printing	✓	✓	✓	✓
100-sheet multipurpose tray 1	✓	✓	✓	✓
2 x 250-sheet trays 2 and 3	✓	✓	✓	1
500-sheet tray¹	Optional	✓	Not available	Optional
500-sheet feeder with cabinet and stand¹	Optional	✓	Not available	Not available
3 x 500-sheet feeder and stand¹	Optional	Not available	✓	Not available
3,500-sheet high-capacity feeder and stand ¹	Optional	Not available	Not available	✓
500-sheet in-line stapler	Not available	Not available	✓	✓
HP High-Performance Secure Hard Disk	✓	✓	✓	✓
Fax	Optional	✓	✓	✓
ENERGY STAR® qualified	✓	✓	✓	/

¹ Up to 6 input trays are supported on the M725dn and M725z+ models, including the multipurpose tray and the standard 2 x 250-sheet trays. (The 3 x 500-sheet trays and stand counts for 3 trays; the 3,500-sheet HCI feeder and stand counts for 2 trays.) The 500-sheet tray is not stackable.

Top features

Get precise document finishing, one-touch workflows, and many scan-to options on a versatile Ledger/A3 MFP. Do more—with document sizes up to Ledger/A3, and high-capacity cartridges³ and paper trays. Print nearly to the page's edge, and even staple (Only on Z and Z+ models). Copy, scan, and fax¹—and print from smartphones and tablets from virtually anywhere with HP ePrint.²

Set a swift pace—use this powerful MFP to keep your work moving. Save time and make your job easier, using HP Quick Sets. Preview and control jobs on the 8-inch color touchscreen. Scan to multiple locations, and print via an easy-access USB port.

Monitor your devices with industry-leading tools, including HP Web Jetadmin.⁴ Help protect data both in transit and at rest. Enhance security with PIN printing. Add safeguards via the hardware integration pocket. Integrate tomorrow's solutions with ease.

Help conserve resources and meet corporate environmental goals. HP Auto-On/Auto-Off Technology helps reduce energy use. Easily manage printing policies with HP EcoSMART Fleet. Save paper, using automatic two-sided printing.

Get the most out of your printer with HP accessories, supplies, and services.

HP services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

4 hr Onsite Support: Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support: Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service: Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service: Assembly, network configuration, and basic administrator familiarization

For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices

Printers

HP LaserJet Enterprise 700 MFP M725dn	CF066A
HP LaserJet Enterprise 700 MFP M725f	CF067A
HP LaserJet Enterprise 700 MFP M725z	CF068A
HP LaserJet Enterprise 700 MFP M725z+	CF069A

Toner Cartridges

HP 14A Black LaserJet Toner Cartridge (10,000 pages)	CF214A
HP 14X Black LaserJet Toner Cartridge (17,500 pages)	CF214X

Accessories

500-sheet feeder and tray assembly	CF239A
1x500-sheet feeder, cabinet, and stand	CF243A
3x500-sheet feeder and stand	CF242A
3,500-sheet HCl and stand	CF245A
110v Maintenance/Fuser Kit	CF249A
220v Maintenance/Fuser Kit	CF254A
HP 200-pin DDR2 512MBx64 DIMM	CF306A
HP staple cartridge refill	C8091A
HP LaserJet MFP Analog Fax Accessory 500	CC487A
ADF Roller kit	L2718A

HP Care Pack	
HP 3 year Next business day + Defective Media retention LaserJet M72	5 U7A14E
Multifunction printer Support	
HP 4 year Next business day + Defective Media retention LaserJet M72	5 U7A15E
Multifunction printer Support	
HP 5 year Next business day + Defective Media retention LaserJet M72	5 U7A16E
Multifunction printer Support	
HP 3 year 4 hour 9x5 LaserJet M725 Multifunction printer Hardware Su	• •
HP 4 year 4 hour 9x5 LaserJet M725 Multifunction printer Hardware Su	• •
HP 5 year 4 hour 9x5 LaserJet M725 Multifunction printer Hardware Su	
HP 1 year Post Warranty Next business day + Defective Media retention	n U7Y76PE
Laserjet M725 Multifunction printer Support	
HP 1 year Post Warranty 4 hour 9x5 Laserjet M725 Multifunction printe	er U7Y74PE

To know what HP Care Pack services exist for your product, please visit Care Pack Central at hp.com/go/cpc

Paper

Support

hp.com/go/paper

Software

HP Web Jetadmin: hp.com/go/wja
HP Universal Print Driver: hp.com/go/upd

¹ Fax capabilities are available with an optional fax card on the HP LaserJet Enterprise MFP M725dn. ² Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see hpconnected.com). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP LaserJet printers may require firmware upgrades. ³ High-capacity cartridges are optional for the HP LaserJet Enterprise 700 MFP Series M725. ⁴ HP Web Jetadmin is free and can be downloaded at hp.com/go/webjetadmin. ⁵ HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade. ⁴ HP EcoSMART Fleet must be purchased separately.

HP LaserJet Enterprise MFP M725 series

	HP LaserJet Enterprise 700 MFP M725dn (CF066A)	HP LaserJet Enterprise 700 MFP M725f (CF067A)	HP LaserJet Enterprise 700 MFP M725z (CF068A)	HP LaserJet Enterprise 700 MFP M725z+ (CF069A)
AIO functions	Print, copy, scan	(Control of the control of the contr	Print, copy, scan, fax	(4-5-5-4)
Print				
Duplex print options			ic (standard)	
Print speed ¹			First page out ² : As fast as 10 sec	
Print technology	21 1 (1 1) 11 1 12		aser	
Print resolution Printer Smart Software	Black (best): Up to 12	00 x 1200 dpi; Black (normal): HP FastRes 1200 (1	200 dpi quality), 600 x 600 dpi with HP Resol	ution Enhancement technology
features	HP ePrint, Apple Airf	Print, Open Extensibility Platform, FutureSmart Fire	mware, HP Auto-On/Auto-Off technology, Eas	y Access USB, Image Preview
Mobile printing capability		HP ePrint	Apple AirPrint	
Standard print languages			script level 3 emulation; PDF 1.4	
Scan			,	
Scan type/technology		Flatbed, ADF; Technology	: Charge Coupled Device (CCD)	
Scan speed³		Letter: Up to 49 ppm (black	and white), up to 30 ppm (color)	
Scan resolution		Hardware: Up to 600 x 60	00 dpi; 0ptical: Up to 600 dpi	
Scan file format			, MTIFF, XPS, PDF/A	
Scan input modes	Copy, scan to e	e-mail, scan to network folder, scan to USB, save to		orm (OXP) applications
Scan size maximum	0	·	17 in (297 x 420 mm)	
Scanner advanced features	Optimize text/picture; Image adjustments; J			ge erase; Auto tone; Auto job notification; Blank page
Bit depth/Grayscale levels			n; HP Quick Sets bit/256	
Copy		241	UI(7236	
Copy speed ⁴		Un to 40 cor	m (Black, letter)	
Copy speed Copy resolution			aphics): 600 x 600 dpi	
Max number of copies			,999 copies	
Copier reduce/enlarge			to 400%	
Copier settings	Sides; Collate; Paper Selection; Reduce	Enlarge; Image Adjustment; Content Orientation; I		e; Optimize Text/Picture; Original Size; Job Build
Digital Sending Standard	·			_
features	Scan to e-mail; Save-	to-Network Folder; Save-to-USB drive; Send to FTF	?; Send to LAN Fax; Send to Internet Fax; Loca	l Address Book; SMTP over SSL
Fax				
Transmission speed ⁵	Not Applicable		Up to 33.6 kbps; 3 sec per page	
Fax resolution	Not Applicable			l): 204 x 98 dpi; Black and White (fine): 204 x 196 dpi,
		256 levels of gray; B	Black Photo Grayscale: 300 x 300 dpi (400 x 4	00 dpi for received faxes only)
Fax smart software features	Not Applicable	Stored faxes; fax archiving; fax forwarding	g; scale-to-fit; fax address book; LAN/Interne	fax; fax number confirmation; Holiday fax schedule
Fax memory	Not Applicable		Up to 100 pages	
rax illelilory	ног аррисавіе	Auto Fay Reduction Supported: Voc. Auto-Re		inctive Ring Detection Supported: No; Fax Forwarding
Fax features	Not Applicable	Supported: Yes; Fax Phone TAM Interface Supp		o receive only); Junk Barrier Supported: Yes; PC Interfa
		Supported: Yes; 1	Felephone Handset Supported: No; Fax Tele	phone Mode Supported: No
Connectivity		Supported: Yes; 1	Felephone Handset Supported: No; Fax Tele	phone Mode Supported: No
Connectivity Standard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-S	Supported: Yes; 1 peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/10		•
Standard connectivity		peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/10 r (standard) supports: 10Base-T, 100Base-Tx, 100	000T network; 1 Foreign Interface; 1 Hardwai 0Base-T; 802.3az (EEE) support on Fast Ether	e Integration Pocket; 2 Internal USB Host
Standard connectivity Network capabilities		peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki	000T network; 1 Foreign Interface; 1 Hardwar 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional)	e Integration Pocket; 2 Internal USB Host
Standard connectivity Network capabilities Wireless capability	Via HP Jetdirect Ethernet embedded print serve	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki	000T network; 1 Foreign Interface; 1 Hardwan 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory	e Integration Pocket; 2 Internal USB Host
Standard connectivity Network capabilities Wireless capability Modem		peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/10 r (standard) supports: 10Base-T, 100Base-Ta, 1000 networki Optional, enabled with pur	000T network; 1 Foreign Interface; 1 Hardwar 0Base–T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps	e Integration Pocket; 2 Internal USB Host
Standard connectivity Network capabilities Wireless capability Modem Memory	Via HP Jetdirect Ethernet embedded print serve	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur	000T network; 1 Foreign Interface; 1 Hardwa 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB	e Integration Pocket; 2 Internal USB Host
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed	Via HP Jetdirect Ethernet embedded print serve	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100I networki Optional, enabled with pur	000T network; 1 Foreign Interface; 1 Hardwan 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 10 MHz	e Integration Pocket; 2 Internal USB Host
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶	Via HP Jetdirect Ethernet embedded print serve	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur	000T network; 1 Foreign Interface; 1 Hardwan 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 10 MHz 10,000 pages	e Integration Pocket; 2 Internal USB Host
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume	Via HP Jetdirect Ethernet embedded print serve	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur	000T network; 1 Foreign Interface; 1 Hardwan 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 10 MHz	e Integration Pocket; 2 Internal USB Host
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing	Via HP Jetdirect Ethernet embedded print serve Not Applicable	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur 80 Up to 20 Up to 5000	000T network; 1 Foreign Interface; 1 Hardwa 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 10 MHz 0,000 pages to 20,000 pages	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireless
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type	Via HP Jetdirect Ethernet embedded print serve Not Applicable	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur 80 Up to 200 Up to 50001 ad, light, plain, preprinted, prepunched, recycled, r	000T network; 1 Foreign Interface; 1 Hardwan 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 10 MHz 10,000 pages to 20,000 pages ough, tough paper), bond, cardstock, envelop	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireless
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media weight	Via HP Jetdirect Ethernet embedded print serve Not Applicable	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur 80 Up to 20 Up to 50001 ad, light, plain, preprinted, prepunched, recycled, r Tray 1: 16 to 53 lb (60 to 199 g/m²);	000T network; 1 Foreign Interface; 1 Hardwan 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 10 MHz 10,000 pages 10 20,000 pages 10 20,000 pages 10 30,000 pages 10 31,000 pages 10 4,000 pages 10 5,000 pages 10 5,000 pages 10 6,000 pages 10 7,000 pages	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireless e, labels, transparency, vellum
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media weight Custom media sizes	Via HP Jetdirect Ethernet embedded print serve Not Applicable	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur 80 Up to 20 Up to 500 Up to 500 ad, light, plain, preprinted, prepunched, recycled, r Tray 1: 16 to 53 lb (60 to 199 g/m²). Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3	000T network; 1 Foreign Interface; 1 Hardwan 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 10 MHz 10,000 pages to 20,000 pages to 20,000 pages ough, tough paper), bond, cardstock, envelop ; Trays 2-6: 16 to 32 lb (60 to 120 g/m²) to 11.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireless e, labels, transparency, vellum
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ^a Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity	Via HP Jetdirect Ethernet embedded print serve Not Applicable	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur 80 Up to 20 Up to 500 Up to 500 ad, light, plain, preprinted, prepunched, recycled, r Tray 1: 16 to 53 lb (60 to 199 g/m²). Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3	000T network; 1 Foreign Interface; 1 Hardwan 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 10 MHz 10,000 pages 10 20,000 pages	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireless e, labels, transparency, vellum
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H)	Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterhed) 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm)	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100metworki	000T network; 1 Foreign Interface; 1 Hardwan 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 10 MHz 10,000 pages 10,000 pages 100,000 pages 1	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireless e, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm)
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H)	Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterhed) 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg)	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur 80 Up to 5000 Up to 50001 ad, light, plain, preprinted, prepunched, recycled, r Tray 1: 3 × 5 to 12.3 × 18.5 in; Tray 2: 5.8 × 8.3 Standard 29.3 × 26.8 × 45.7 in (745 × 681 × 1160 mm); Max: 36.1 × 40.6 × 45.7 in (917 × 1032 × 1160 mm); 192.3 lb (87.1 kg)	000T network; 1 Foreign Interface; 1 Hardwa 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 10 MHz 10,000 pages 100 pages 100 pages 100 pages 100 pages 101 paper), bond, cardstock, envelop; 1 Trays 2-6: 16 to 32 lb (60 to 120 g/m²) 101 1.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x Max: 36.1 x 40.6 206.3 lb (92.35 kg)	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireless e, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm) 225.8 lb (102.42 kg)
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight	Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterhed) 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg)	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur 80 Up to 20 Up to 50001 ad, light, plain, preprinted, prepunched, recycled, n Tray 1: 16 to 53 lb (60 to 199 g/m²); Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.1 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm); 192.3 lb (87.1 kg) 4P Black LaserJet Toner Cartridge (10,000 pages);	000T network; 1 Foreign Interface; 1 Hardwan 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 10 MHz 10,000 pages to 20,000 pages ough, tough paper), bond, cardstock, envelop; Trays 2-6: 16 to 32 lb (60 to 120 g/m²) to 17 (17 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x Max: 36.1 x 40.6 206.3 lb (92.35 kg) Hardware Installation Guide, Support flyer, W	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireless e, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm)
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ^a	Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterhed) 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg)	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur Bo Up to 20 Up to 5000 ad, light, plain, preprinted, prepunched, recycled, r Tray 1: 16 to 53 lb (60 to 199 g/m²), Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 5tandard 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm); 192.3 lb (87.1 kg) HP Black Laser Jet Toner Cartridge (10.000 pages); CD-ROM; Power cord. M725f, M725z & l	000T network; 1 Foreign Interface; 1 Hardwa 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 10 MHz 10,000 pages to 20,000 pages to 20,000 pages ough, tough paper), bond, cardstock, envelop 7 Trays 2-6: 16 to 32 lb (60 to 120 g/m²) to 11.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x Max: 36.1 x 40.6 206.3 lb (92.35 kg) Hardware Installation Guide, Support flyer, W	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireless e, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm) 225.8 lb (102.42 kg)
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ^a	Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterhed) 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP LaserJet Enterprise MFP M725;	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur 80 Up to 200 Up to 50001 ad, light, plain, preprinted, prepunched, recycled, n Tray 1: 16 to 53 lb (60 to 199 g/m²). Tray 1: 3 × 5 to 12.3 × 18.5 in; Tray 2: 5.8 × 8.3 Standarc 29.3 × 26.8 × 45.7 in (745 × 681 × 1160 mm), 192.3 lb (87.1 kg) HP Black LaserJet Toner Cartridge (10,000 pages); (CD-ROM; Power cord. M725f, M725z & 10 one-year o	000T network; 1 Foreign Interface; 1 Hardwa 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 10 MHz 0,000 pages to 20,000 pages to 20,000 pages ough, tough paper), bond, cardstock, envelop; 7 Trays 2-6: 16 to 32 lb (60 to 120 g/m²) to 11.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7 d, 100 sheets 29.3 x 26.8 x Max: 36.1 x 40.6 206.3 lb (92.35 kg) Hardware Installation Guide, Support flyer, W M7252*: Same as above plus Telecom cable n-site warranty	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireless e, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm) 225.8 lb (102.42 kg) arranty guide; Printer documentation and software on
Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁴ Warranty features Compatible operating	Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterher 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windout 10.6, 05 X Lion, 05 X Mountain Lion; For the lates	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur 80 Up to 200 Up to 5000 up to 5000 ad, light, plain, preprinted, prepunched, recycled, r Tray 1: 16 to 53 lb (60 to 199 g/m²). Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 Standare 29.3 x 26.8 x 45.7 in (917 x 1032 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm) 192.3 lb (87.1 kg) HP Black Laser Jet Toner Cartridge (10,000 pages); CD-ROM; Power cord. M725f, M7252 & I One-year o ov XP (SP2+), Windows Server 2003 (SP1+), Windows to operating system support see: Citrix and Windows's	000T network; 1 Foreign Interface; 1 Hardwar 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 33.6 kbps 1 GB 33.6 kbps 1 GB 10 MHz 10,000 pages 10 20,000 pages 10 20,000 pages 10 21,000 pages 10 17 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x Max: 36.1 x 40.6 206.3 lb (92.35 kg) Hardware Installation Guide, Support flyer, W M725z+: Same as above plus Telecom cable n-site warranty 5 server 2008 (32 and 64-bit), Windows Server Terminal Services (ltp.com/go/upd), Novell (novel foreign content of the c	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireles: e, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm) 225.8 lb (102.42 kg) arranty guide; Printer documentation and software on
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁵ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁴ Warranty features Compatible operating systems	Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterheter) 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windows 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/Junixmodelscripts, hp.com/go/Junixmodelscr	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur 80 Up to 200 Up to 50001 ad, light, plain, preprinted, prepunched, recycled, n Tray 1: 16 to 53 lb (60 to 199 g/m²). Tray 1: 3 × 5 to 12.3 × 18.5 in; Tray 2: 5.8 × 8.3 Standard 29.3 × 26.8 × 45.7 in (745 × 681 × 1160 mm); 192.3 lb (87.1 kg) HP Black LaserJet Toner Cartridge (10,000 pages); (CD-ROM; Power cord. M725f, M725z & 1 One-year 0 ws XP (SP2+), Windows Server 2003 (SP1+), Windows tedirectunix_software); SAP device types (hp.com	000T network; 1 Foreign Interface; 1 Hardwa 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 10 MHz 0,000 pages to 20,000 pages to 20,000 pages ough, tough paper), bond, cardstock, envelop; 7 Trays 2-6: 16 to 32 lb (60 to 120 g/m²) to 11.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7 d, 100 sheets 29.3 x 26.8 x Max: 36.1 x 40.6 206.3 lb (92.35 kg) Hardware Installation Guide, Support flyer, W M7252+: Same as above plus Telecom cable n-site warranty Server 2008 (32 and 64-bit), Windows Server; Terminal Services (hp.com/go/upd); Novell (nor 1/go/sap/drivers, hp.com/go/upd); Novell (nor 1/go/sap/drivers, hp.com/go/sap/print); HP	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireless e, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm)
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁴ Warranty features Compatible operating systems Minimum system	Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterheter) 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windows 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/Junixmodelscripts, hp.com/go/Junixmodelscr	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100Base	0000T network; 1 Foreign Interface; 1 Hardwan 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 00 MHz 0,000 pages to 20,000 pages ough, tough paper), bond, cardstock, envelop; 1 Trays 2-6: 16 to 32 lb (60 to 120 g/m²) to 11.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x Max: 36.1 x 40.6 206.3 lb (92.35 kg) Hardware Installation Guide, Support flyer, W M725x+: Same as above plus Telecom cable n-site warranty Server 2008 (32 and 64-bit), Windows Server Terminal Services (lip.com/go/sap/print); HP dows Server 2008 R2, Windows Server 2008 R2,	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireless e, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm) 225.8 lb (102.42 kg) arranty guide; Printer documentation and software on 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X vell.com/iprint); Linux (hplip.net); UNIX (hp.com/go/unix, ePrint Mobile Driver (hp.com/go/eprintmobiledriver) Windows Server 2012 (64-bit); 200 MB available hard dis
Standard connectivity Network capabilities Wireless capability Modern Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁴ Warranty features Compatible operating systems Minimum system	Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterhed) 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windows 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/junkimodelscripts, hp.com/go/junkimodelscrip	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur 80 Up to 5000 Up to 50001 ad, light, plain, preprinted, prepunched, recycled, r Tray 1: 16 to 53 lb (60 to 199 g/m²). Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 i Standarc 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); 192.3 lb (87.1 kg) HP Black LaserJet Toner Cartridge (10,000 pages); CD-ROM; Power cord. M725f, M725z & One-year 0 ws XP (SP2+), Windows Server 2003 (SP1+), Windows tetdirectunix, software); SAP device types (hp.com ows XP (SP2+), Windows Server 2003 (SP1+), com ows XP (SP2+), Windows Server 2003 (SP1+), windows space; operating system compatible hardw iin Lion; 1 GB available hard disk space; operating s	0000T network; 1 Foreign Interface; 1 Hardwan 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 10 MHz 10,000 pages 10 c20,000 pages 10 c20,000 pages 10 c3 c20,000 pages 10 c3 c20,000 pages 11 c3	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireless e, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm)
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ^a Warranty features Compatible operating system Minimum system requirements	Not Applicable Not Applicable Paper (color, letterhed) 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windows 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp. com/go/unixmodelscripts,	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100I networki Optional, enabled with pur 80 Up to 5000 Up to 5000 up to 5000 ad, light, plain, preprinted, prepunched, recycled, r Tray 1: 16 to 53 lb (60 to 199 g/m²); Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 Standard 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm); 192.3 lb (87.1 kg) HP Black Laser Jet Toner Cartridge (10,000 pages); CD-ROM; Power cord. M725f, M725g Al copyear or ws XP (SP2+), Windows Server 2003 (SP1+), Windows to operating system support see: Citrix and Windows stoperating system compatible hardwind space; operating system compatible hardwind Lion; 1 GB available hard disk space; operating system compatible hardwind Lion; 1 GB available hard disk space; operating system compatible hardwind Lion; 1 GB available hard disk space; operating system compatible hardwind Lion; 1 GB available hard disk space; operating system compatible hardwind Lion; 1 GB available fonts in HP Postscript level 3 en	0000 network; 1 Foreign Interface; 1 Hardwan 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 00 MHz 0,000 pages to 20,000 pages ough, tough paper), bond, cardstock, envelop; 1 Trays 2-6: 16 to 32 lb (60 to 120 g/m²) to 11.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x Max: 36.1 x 40.6 206.3 lb (92.35 kg) Hardware Installation Guide, Support flyer, W M7252+: Same as above plus Telecom cable n-site warranty Server 2008 (32 and 64-bit), Windows Server 1 Terminal Services (lip.com/go/upd); Novell (nor 1/go/sap/drivers, hp.com/go/sap/print); HP dows Server 2008 R2, ware system requirements, see microsoft.cor system compatible hardware system requirements, see microsoft.cor system compatible hardware system requiremental (curo symbol built-ini); 1 internal Uniternal Unit	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireles: e, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm)
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ^a Warranty features Compatible operating systems Minimum system requirements Fonts and Typefaces	Not Applicable Paper (color, letterher Paper (color, letterher 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Window 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/jukmodelscripts, hp.com/go/j PC: Windows 8, Windows 7, Windows Vista, Window Mac: Mac OS X 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/jukmodelscripts, hp.com/go/jix Lion, 05 X Mountain Lion; For the lates hp.com/go/jix Lion, 05 X Mountain Lion,	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur 80 Up to 500 Up to 5000 ad, light, plain, preprinted, prepunched, recycled, r Tray 1: 16 to 53 lb (60 to 199 g/m²). Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 3 Standard 29.3 x 26.8 x 45.7 in (917 x 1032 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm); 19.2.3 lb (87.1 kg) HP Black LaserJet Toner Cartridge (10,000 pages); (D-R0M; Power cord. M725f, M7252 & I One-year o ws XP (SP2+), Windows Server 2003 (SP1+), Windows tt operating system support see: Citrix and Windows tedirectunix, software); SAP device types (hp. com lows XP (SP2+), Windows Server 2003 (SP1+), com lows XP (SP2+), Windows Server 2003 (SP1+) (SP2+), com lows XP (SP2+), Windows Server 2003 (SP1+) (SP2+), com lows XP (SP2+), Windows Server 2003 (SP1+) (SP2+), com lows XP (SP2+), Windows Server 2003 (SP1+) (SP2+), com lows XP (SP2+), Windows Server 2003 (SP1+) (SP2+), com lows XP (SP2+), Windows Server 2003 (SP1+) (SP2+), com lows XP (SP2+), Windows Server 2003 (SP1+), windows 2004 (SP1+), com lows XP (SP2+), windows 2004 (SP1+), windows 2004 (S	000T network; 1 Foreign Interface; 1 Hardwa 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 10 MHz 10,000 pages to 20,000 pages to 20,000 pages to 20,000 pages to 20,000 pages to 21,000 pages to 20,000 pages to 120,000 pages to 120,000 pages to 120,000 pages to 20,000 pages to 120,000 pages to 11.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x Max: 36.1 x 40.6 206.3 lb (92.35 kg) Hardware Installation Guide, Support flyer, W M7252+: Same as above plus Telecom cable n-site warranty Services (lip.com/go/tap/; Novell (nor/go/sap/print); HP dows Server 2008, Windows Server 2008 R2, vare system requirements, see microsoft.cor system compatible hardware system requirer mulation (Euro symbol built-in); 1 internal Un memory cards; HP Laser Jet Fonts and IPDS Er	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireless e, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm) 225.8 lb (102.42 kg) arranty guide; Printer documentation and software on 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X vell.com/iprint); Linux (hplip.net); UNIX (hp.com/go/unix, ePrint Mobile Driver (hp.com/go/eprintmobiledriver) Windows Server 2012 (64-bit); 200 MB available hard dis n: nents, CD-ROM/DVD-ROM or Internet, see apple.com icode Fonts (Andale Mono WorldType); 2 Internal Window nulation available at hp.com/go/laserjetfonts
Standard connectivity Network capabilities Wireless capability Modern Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁴ Warranty features Compatible operating systems Minimum system requirements Fonts and Typefaces Control panel	Not Applicable Paper (color, letterher Paper (color, letterher) 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Window 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/junixmodelscripts, hp.com/go/junixmodelscripts, hp.com/go/junixmodelscripts hp.com/go/junixmodels	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur 80 Up to 20 Up to 50001 ad, light, plain, preprinted, prepunched, recycled, r. Tray 1: 16 to 53 lb (60 to 199 g/m²). Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 Standarc 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm). Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm). 192.3 lb (87.1 kg) HP Black LaserJet Toner Cartridge (10,000 pages); CD-ROM; Power cord. M725f, M725z & 10 one-year o ws XP (SP2+), Windows Server 2003 (SP1+), Windows to operating system support see: Citrix and Windows to operating system compatible hardw is pace; operating system compatible hardw in Lion; 1 GB available hard disk space; operating system compatible hardw in Lion; 1 GB available hard disk space; operating system compatible hardw in Lion; 1 GB available hard disk space; operating system compatible hardw in Lion; 1 GB available hard disk space; operating system compatible hardw in Lion; 1 GB available hard disk space; operating system compatible hardw in Lion; 1 GB available hard disk space; operating system compatible hardw in Lion; 1 GB available hard disk space; operating system compatible hardw in Lion; 1 GB available hard disk space; operating system compatible hardw in Lion; 1 GB available hard disk space; operating system compatible hardw	0000T network; 1 Foreign Interface; 1 Hardwan 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 30 MHz 0,000 pages 10 000 pages 10 0000 pages 10 0000 pages 10 11.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 20.3 to 10.5 to 10	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireless e, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm) 225.8 lb (102.42 kg) arranty guide; Printer documentation and software on 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X vell.com/iprint); Linux (hplp.net); UNIX (hp.com/go/unix, ePrint Mobile Driver (hp.com/go/eprintmobiledriver) Windows Server 2012 (64-bit); 200 MB available hard disn: nents, CD-ROM/DVD-ROM or Internet, see apple.com icode Fonts (Andale Mono WorldType); 2 Internal Window nulation available at hp.com/go/laserjetfonts enu); Easy Access USB; Hardware Integration Pocket
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁴ Warranty features Compatible operating systems Minimum system requirements Fonts and Typefaces Control panel	Not Applicable Paper (color, letterher Paper (color, letterher) 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Window 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/junixmodelscripts, hp.com/go/junixmodelscripts, hp.com/go/junixmodelscripts hp.com/go/junixmodels	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur 80 Up to 500 Up to 5000 ad, light, plain, preprinted, prepunched, recycled, r Tray 1: 16 to 53 lb (60 to 199 g/m²). Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 3 Standard 29.3 x 26.8 x 45.7 in (917 x 1032 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm); 19.2.3 lb (87.1 kg) HP Black LaserJet Toner Cartridge (10,000 pages); (D-R0M; Power cord. M725f, M7252 & I One-year o ws XP (SP2+), Windows Server 2003 (SP1+), Windows tt operating system support see: Citrix and Windows tedirectunix, software); SAP device types (hp. com lows XP (SP2+), Windows Server 2003 (SP1+), com lows XP (SP2+), Windows Server 2003 (SP1+) (SP2+), com lows XP (SP2+), Windows Server 2003 (SP1+) (SP2+), com lows XP (SP2+), Windows Server 2003 (SP1+) (SP2+), com lows XP (SP2+), Windows Server 2003 (SP1+) (SP2+), com lows XP (SP2+), Windows Server 2003 (SP1+) (SP2+), com lows XP (SP2+), Windows Server 2003 (SP1+) (SP2+), com lows XP (SP2+), Windows Server 2003 (SP1+), windows 2004 (SP1+), com lows XP (SP2+), windows 2004 (SP1+), windows 2004 (S	0000T network; 1 Foreign Interface; 1 Hardwan 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 30 MHz 0,000 pages 10 000 pages 10 0000 pages 10 0000 pages 10 11.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 2, 100 sheets 29.3 x 26.8 x 8.3 to 11.7 20.3 to 10.5 to 10	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireless e, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm)
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁴ Warranty features Compatible operating systems Minimum system requirements Fonts and Typefaces Control panel Software included	Not Applicable Paper (color, letterher Paper (color, letterher) 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Window 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/junixmodelscripts, hp.com/go/junixmodelscripts, hp.com/go/junixmodelscripts hp.com/go/junixmodels	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur 80 Up to 20 Up to 500 Up to 5000 ad, light, plain, preprinted, prepunched, recycled, r Tray 1: 16 to 53 lb (60 to 199 g/m²). Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 Standarc 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm); 192.3 lb (87.1 kg) HP Black LaserJet Toner Cartridge (10,000 pages); CD-ROM; Power cord. M725f, M7252 & I One-year o ws XP (SP2+), Windows Server 2003 (SP1+), Windows tt operating system support see: Citrix and Windows tetdirectunix, software); SAP device types (hp.com ows XP (SP2+), Windows Server 2003 (SP1+) windows to operating system compatible hard win Lion; 1 GB available hard disk space; operating 20 internal scalable fonts in HP Postscript level 3 e onal font solutions available wia third-party flash r n; rotating (adjustable angle) display; illuminated le er, HP PCL 6 discrete driver, Mac SW Link to Web, [F	0000T network; 1 Foreign Interface; 1 Hardwan 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 10 MHz 10,000 pages 10 20,000 pages 10 20,000 pages 10 20,000 pages 10 20,000 pages 10 11.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7 1, 100 sheets 29.3 x 26.8 x Max: 36.1 x 40.6 206.3 lb (92.35 kg) Hardware Installation Guide, Support flyer, W MY25x+: Same as above plus Telecom cable n-site warranty 5 Server 2008 (32 and 64-bit), Windows Server action 1/go/sap/drivers, hp.com/go/sap/print); HP dows Server 2008, Windows Server 2008 Rz, vare system requirements, see microsoft.cor system compatible hardware system requirer mulation (Euro symbol built-in); 1 internal Un memory cards; HP LaserJet Fonts and IPDS Er Home button (for quick return to the Home m Postscript emulation driver & Installer on Web	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireles: e, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm) 225.8 lb (102.42 kg) arranty guide; Printer documentation and software on 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X vell.com/print); Linux (hplip.net); UNIX (hp.com/go/unix, ePrint Mobile Driver (hp.com/go/eprintmobiledriver) Windows Server 2012 (64-bit); 200 MB available hard dis. nents, CD-ROM/DVD-ROM or Internet, see apple.com icode Fonts (Andale Mono WorldType); 2 Internal Window nulation available at hp.com/go/laserjetfonts enu); Easy Access USB; Hardware Integration Pocket 1], Note: No Mac SW inbox
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁴ Warranty features Compatible operating systems Minimum system requirements Fonts and Typefaces Control panel Software included	Not Applicable Paper (color, letterher Paper (color, letterher) 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Window 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/junixmodelscripts, hp.com/go/junixmodelscripts, hp.com/go/junixmodelscripts hp.com/go/junixmodels	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur 80 Up to 5000 Up to 50001 ad, light, plain, preprinted, prepunched, recycled, r Tray 1: 16 to 53 lb (60 to 199 g/m²). Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 i Standarc 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm); 192.3 lb (87.1 kg) HP Black LaserJet Toner Cartridge (10,000 pages); CD-ROM; Power cord. M725f, M725z & One-year o ws XP (SP2+), Windows Server 2003 (SP1+), Windows togerating system support see: Citrix and Windows stedirectunix, software); SAP device types (hp.com ows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2003 (SP1+), Edirectunix space; operating system compatible hardw in Lion; 1 GB available hard disk space; operating size internal scalable fonts in HP Postscript level 3 er onal font solutions available via flosiplay; illuminated fier, HP PCL 6 discrete driver, Mac SW Link to Web, [F	0000T network; 1 Foreign Interface; 1 Hardwan OBase-T; 802.3az (EEE) support on Fast Ether (Ing (optional) (chase of a hardware accessory 33.6 kbps 36.6 kbps 36.6 kbps 37.6 kbp	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireles: e, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm) 225.8 lb (102.42 kg) arranty guide; Printer documentation and software on 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X vell.com/iprint); Linux (hplip.net); UNIX (hp.com/go/unix, ePrint Mobile Driver (hp.com/go/eprintmobiledriver) Windows Server 2012 (64-bit); 200 MB available hard dit in: nents, CD-ROM/DVD-ROM or Internet, see apple.com icode Fonts (Andale Mono Worldype); 2 Internal Window nulation available at hp.com/go/laserjetfonts enul; Easy Access USB; Hardware Integration Pocket
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4)* Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box* Warranty features Compatible operating systems Minimum system requirements Fonts and Typefaces Control panel Software included invironmental ranges	Not Applicable Paper (color, letterhed and print served	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur 80 Up to 5000 Up to 50001 ad, light, plain, preprinted, prepunched, recycled, r Tray 1: 16 to 53 lb (60 to 199 g/m²). Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 i Standarc 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm); 192.3 lb (87.1 kg) HP Black LaserJet Toner Cartridge (10,000 pages); CD-ROM; Power cord. M725f, M725z & One-year o ws XP (SP2+), Windows Server 2003 (SP1+), Windows togerating system support see: Citrix and Windows stedirectunix, software); SAP device types (hp.com ows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2003 (SP1+), Edirectunix space; operating system compatible hardw in Lion; 1 GB available hard disk space; operating size internal scalable fonts in HP Postscript level 3 er onal font solutions available via flosiplay; illuminated fier, HP PCL 6 discrete driver, Mac SW Link to Web, [F	0000T network; 1 Foreign Interface; 1 Hardwan OBase-T; 802.3az (EEE) support on Fast Ether (Ing (optional) (chase of a hardware accessory 33.6 kbps 36.6 kbps 36.6 kbps 37.6 kbp	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireles e, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm)
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁴ Warranty features Compatible operating systems Minimum system requirements Fonts and Typefaces Control panel Software included nvironmental ranges Operating humidity range: Non-operating humidity range. Non-operating humidity range. Recommended operating hum	Not Applicable Paper (color, letterhe. Paper (color, letterhe. 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 898 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windov 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/junixmodelscripts, hp.com/go/ji PC: Windows 8, Windows 7, Windows Vista, Windov 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/junixmodelscripts, hp.com/go/ji PC: Windows 8, Windows 7, Windows Vista, Window 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/junixmodelscripts, hp.com/go/ji PC: Windows 8, Windows 7, Windows Vista, Windows 10.5 X Mountain Lion; For the lates hp.com/go/junixmodelscripts, hp.com/go/junixmodelscripts, hp.com/go/junixmodelscripts, hp.com/go/junixmodelscripts h	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur 80 Up to 5000. 40, light, plain, preprinted, prepunched, recycled, 1 Tray 1: 16 to 53 lb (60 to 199 g/m²). Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 i Standard 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm); 192.3 lb (87.1 kg) HP Black LaserJet Toner Cartridge (10,000 pages); CD-ROM; Power cord. M725f, M725z & 10 cord. M725z	0000T network; 1 Foreign Interface; 1 Hardwan OBase-T; 802.3az (EEE) support on Fast Ether (Ing (optional)) (chase of a hardware accessory 33.6 kbps 36.6 kbps 36.6 kbps 37.6 kb	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireles e, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm)
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁴ Warranty features Compatible operating systems Minimum system requirements Fonts and Typefaces Control panel Software included nvironmental ranges Operating humidity range: Non-operating humidity range. Recommended operating hum Recommended operating h	Not Applicable Paper (color, letterhed) Paper (color, letterhed) 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (855 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windou 10.6, 05 x Lion, 05 x Mountain Lion; For the lates hp.com/go/unixmodelscripts, hp.com/go/Ji PC: Windows 8, Windows 7, Windows Vista, Windou 10.6, 05 x Lion, 05 x Mountain Lion; For the lates hp.com/go/Ji Windows 8, Windows 7, Windows Vista, Windous 10.5, 05 x Lion, 05 x Mountain Lion; For the lates hp.com/go/Ji Windows 8, Windows 7, Windows Vista, Windows Vista, Windows Vista, Windows Vista, Windows 10.6, 05 x Lion, 05 x Mountain Lion; For the lates hp.com/go/Ji Windows 8, Windows 7, Windows Vista, Windows Vista	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur 80 Up to 20 Up to 5000 ad, light, plain, preprinted, prepunched, recycled, r Tray 1: 16 to 53 lb (60 to 199 g/m²). Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 Standarc 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm); 19.2 3 lb (87.1 kg) HP Black LaserJet Toner Cartridge (10,000 pages); CD-ROM; Power cord. M725f, M725z & 10 One-year o ws XP (SP2+), Windows Server 2003 (SP1+), Windows to operating system support see: Citrix and Windows to operating system compatible hardw space; operating system compatible hardw sin Lion; 1 GB available hard disk space; operating system compatible hardw sin Lion; 1 GB available hard disk space; operating system compatible hardw sin Lion; 1 GB available hard disk space; operating system compatible hardw sin Lion; 1 GB available hard disk space; operating system compatible hardw sin Lion; 1 GB available angle) display; illuminated H er, HP PCL 6 discrete driver, Mac SW Link to Web, [F Acoustic press Acoustic press Power's	000T network; 1 Foreign Interface; 1 Hardwan 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 33.6 kbps 1 GB 10 MHz 10,000 pages 10 20,000 pages 10 20,000 pages 10 20,000 pages 10 21,000 pages 10 20,000 pages 10 21,000 pages 10 20,000 pages 10 21,000 pages 10 20,000 pages 10 20,000 pages 10 20,000 pages 10 20,000 pages 11,7 x 14.3 in; Trays 3-6:5.8 x 8.3 to 11.7 1, 100 sheets 1, 100 sheets 1, 29.3 x 26.8 x Max: 36.1 x 40.6 206.3 lb (92.35 kg) 11.7 x 14.3 in; Trays 3-6:5.8 x 8.3 to 11.7 1, 100 sheets 1, 20.3 x 26.8 x Max: 36.1 x 40.6 20.3 lb (92.35 kg) 11.7 x 14.3 in; Trays 3-6:5.8 x 8.3 to 11.7 1, 100 sheets 1, 20.3 x 26.8 x Max: 36.1 x 40.6 20.3 lb (92.35 kg) 11.7 x 14.3 in; Trays 3-6:5.8 x 8.3 to 11.7 1, 100 sheets 1	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireles e, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm)
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁴ Warranty features Compatible operating systems Minimum system requirements Fonts and Typefaces Control panel Software included nvironmental ranges Operating humidity rang Recommended operating hun Operating tumperature range Recommended operating tum Operating temperature range Recommended operating tum	Not Applicable Paper (color, letterhe. Paper (color, letterhe. 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (864 x 849 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Window 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/junkmodelscripts, hp.com/go/junkmodelscrip	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur 80 Up to 5000. 40, light, plain, preprinted, prepunched, recycled, 1 Tray 1: 16 to 53 lb (60 to 199 g/m²). Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 i Standard 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm); 192.3 lb (87.1 kg) HP Black LaserJet Toner Cartridge (10,000 pages); CD-ROM; Power cord. M725f, M725z & 10 cord. M725z	0000T network; 1 Foreign Interface; 1 Hardwa 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 30 MHz 0,000 pages 10 0MD2 0,000 pages 10 0MD3 0 0MD4 10 0MD5 1	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireles e, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm)
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁵ Recom monthly page volume Paper handing Media type Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁴ Warranty features Compatible operating systems Minimum system requirements Fonts and Typefaces Control panel Software included invironmental ranges Operating humidity range: Non-operating humidity range: Recommended operating tem	Not Applicable Paper (color, letterhed) Paper (color, letterhed) 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (855 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windou 10.6, 05 x Lion, 05 x Mountain Lion; For the lates hp.com/go/unixmodelscripts, hp.com/go/Ji PC: Windows 8, Windows 7, Windows Vista, Windou 10.6, 05 x Lion, 05 x Mountain Lion; For the lates hp.com/go/Ji Windows 8, Windows 7, Windows Vista, Windous 10.5, 05 x Lion, 05 x Mountain Lion; For the lates hp.com/go/Ji Windows 8, Windows 7, Windows Vista, Windows Vista, Windows Vista, Windows Vista, Windows 10.6, 05 x Lion, 05 x Mountain Lion; For the lates hp.com/go/Ji Windows 8, Windows 7, Windows Vista, Windows Vista	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur 80 Up to 5000. 40, light, plain, preprinted, prepunched, recycled, 1 Tray 1: 16 to 53 lb (60 to 199 g/m²). Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 i Standard 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm); 192.3 lb (87.1 kg) HP Black LaserJet Toner Cartridge (10,000 pages); CD-ROM; Power cord. M725f, M725z & 10 cord. M725z	000T network; 1 Foreign Interface; 1 Hardwai OBase-T; 802.3az (EEE) support on Fast Ethering (optional) chase of a hardware accessory 33.6 kbps 1 GB 10 MHz 10,000 pages 10 to 20,000 pages 11 to 20,000 pages 11 to 20,000 pages 12 to 20,000 pages 13 to 20,000 pages 14 to 32 lb (60 to 120 g/m²) 15 to 11.7 x 14.3 in; Trays 3-6:5.8 x 8.3 to 11.7 d, 100 sheets 12 9.3 x 26.8 x Max: 36.1 x 40.6 20.6 3 lb (92.35 kg) 16 to 206.3 lb (92.35 kg) 17 to 206.3 lb (92.35 kg) 18 to 206.3 lb (92.35 kg) 19 to 206.3 lb (92.35 kg) 19 to 206.3 lb (92.35 kg) 10 to 206.3 lb (92.35 kg) 10 to 206.3 lb (92.35 kg) 11 to 206.3 lb (92.35 kg) 11 to 206.3 lb (92.35 kg) 12 to 206.3 lb (92.35 kg) 13 to 206.3 lb (92.35 kg) 14 to 206.3 lb (92.35 kg) 15 to 206.3 lb (92.35 kg) 16 to 206.3 lb (92.35 kg) 17 to 206.3 lb (92.35 kg) 18 to 206.3 lb (92.35 kg) 19 to 206.3 lb (92.35 kg) 10 to 206.3 lb (92.35 kg) 10 to 206.3 lb (92.35 kg) 10 to 206.3 lb (92.35 kg) 11 to 206.3 lb (92.35 kg) 11 to 206.3 lb (92.35 kg) 11 to 206.3 lb (92.35 kg) 12 to 206.3 lb (92.35 kg) 13 to 206.3 lb (92.35 kg) 14 to 206.3 lb (92.35 kg) 15 to 206.3 lb (92.35 kg) 16 to 206.3 lb (92.35 kg) 16 to 206.3 lb (92.35 kg) 17 to 206.3 lb (92.35 kg) 18 to 206.3 lb (92.35 kg) 19 to 206.3 lb (92.35 kg) 10 to 206.3 lb (92.	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireless e, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm)
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ^a Warranty features Compatible operating systems Minimum system requirements Fonts and Typefaces Control panel Software included Environmental ranges Operating humidity rang Recommended operating hum Operating temperature range Recommended operating tem Storage temperature range:	Not Applicable Paper (color, letterhe. Paper (color, letterhe. 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (864 x 849 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Window 10.6, 05 X Lion, 05 X Mountain Lion; For the lates hp.com/go/junkmodelscripts, hp.com/go/junkmodelscrip	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur 80 Up to 5000. 40, light, plain, preprinted, prepunched, recycled, 1 Tray 1: 16 to 53 lb (60 to 199 g/m²). Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 i Standard 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm); 192.3 lb (87.1 kg) HP Black LaserJet Toner Cartridge (10,000 pages); CD-ROM; Power cord. M725f, M725z & 10 cord. M725z	0000T network; 1 Foreign Interface; 1 Hardwai OBase-T; 802.3az (EEE) support on Fast Ethering (optional) chase of a hardware accessory 33.6 kbps 1 GB 33.6 kbps 1 GB 33.6 kbps 1 GB 30.MHz 10,000 pages 10 20,000 pages 10	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireless e, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm)
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ^a Warranty features Compatible operating systems Minimum system requirements Fonts and Typefaces Control panel Software included Environmental ranges Operating humidity range: Non-operating humidity range: Non-operating humidity range: Recommended operating tem Storage temperature range: Recommended operating tem Storage temperature range: Recommended operating tem Storage temperature range: Acoustic ower emissions: Acoustic power emissions (act	Not Applicable	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur 80 Up to 5000. 40, light, plain, preprinted, prepunched, recycled, 1 Tray 1: 16 to 53 lb (60 to 199 g/m²). Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 i Standard 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm); 192.3 lb (87.1 kg) HP Black LaserJet Toner Cartridge (10,000 pages); CD-ROM; Power cord. M725f, M725z & 10 cord. M725z	000T network; 1 Foreign Interface; 1 Hardwai OBase-T; 802.3az (EEE) support on Fast Ethering (optional) chase of a hardware accessory 33.6 kbps 1 GB 33.6 kbps 1 GB 10 MHz 10,000 pages 10 20,000 pages 10 20,000 pages 10 20,000 pages 10 11.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7 d, 100 sheets 206.3 lb (92.35 kg) Hardware Installation Guide, Support flyer, W M7252+: Same as above plus Telecom cable n-site warranty 5 server 2008 (32 and 64-bit), Windows Server 208 R2, vare system requirer mulation (Euro Symbol built-in); 1 internal Unmemory cards; HP LaserJet Fonts and IPDS Erlome button (for quick return to the Home m Postscript emulation (Euro symbol built-in); 1 internal Unmemory cards; HP LaserJet Fonts and IPDS Erlome button (for quick return to the Home m Postscript emulation (Euro; histories in Installer on Wet Sure emissions bystander (active, printing): sure emissions bystander (ready): type: required:	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireless e, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm)
Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁶ Warranty features Compatible operating systems Minimum system requirements Fonts and Typefaces Control panel Software included Environmental ranges Operating humidity range: Non-operating hum Operating temperature range Recommended operating thu Storage temperature range: Coustic ¹⁰ Acoustic power emissions:	Not Applicable	peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/11 r (standard) supports: 10Base-T, 100Base-Tx, 100 networki Optional, enabled with pur 80 Up to 20 Up to 5000 ad, light, plain, preprinted, prepunched, recycled, r Tray 1: 16 to 53 lb (60 to 199 g/m²). Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 Standarc 29.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (917 x 1032 x 1160 mm); 192.3 lb (87.1 kg) HP Black LaserJet Toner Cartridge (10,000 pages); CD-ROM; Power cord. M725f, M725z & I One-year o ws XP (SP2+), Windows Server 2003 (SP1+), Windows to operating system support see: Citrix and Windows to operating system compatible hardw space; operating system compatible hardw sin Lion; 1 GB available hard disk space; operating s contained to the control of the control o	0000T network; 1 Foreign Interface; 1 Hardwan 0Base-T; 802.3az (EEE) support on Fast Ether ing (optional) chase of a hardware accessory 33.6 kbps 1 GB 33.6 kbps 1 GB 30.MHz 00.000 pages 100.000 pa	e Integration Pocket; 2 Internal USB Host net and Gig Links; IPsec (standard); 802.11b/g/n wireless e, labels, transparency, vellum x 17 in 46.9 in (745 x 681 x 1192 mm); x 46.9 in (917 x 1032 x 1192 mm)

¹ Measured using 150/IEC 24734, excludes first set of test documents. For more information see https://document.com/lea/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ² Exact a speed varies depending on the system configuration, software application, driver and document complexity. ³ Exact a speed ware supported to the system configuration, software application, software application, driver, and document complexity. ⁴ Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory. ⁵ Duty cycle defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Laser proups. ⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages; this will damage the printer and void the product warranty. Values subject to change, see hp.com/support for current information. Acoustic values are subject to change. For current information see hp.com/support. Configuration tested: base model, simplex printing, A4 paper at an average of 40 ppm.



















(800) LASER-20 | www.lasercare.com

© 2013 - 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds.

