Data sheet

HP LaserJet Enterprise M506 series



Get a faster startup¹ and help protect against threats with multi-level device security.

Finish key tasks faster with a printer that starts right away and helps conserve energy.¹ Multi-level device security helps protect from threats. Original HP Toner cartridges with JetIntelligence and this printer produce more high-quality pages.²



HP LaserJet Enterprise M506n



HP LaserJet Enterprise M506dn



HP LaserJet Enterprise M506x



Accelerate your work and use less energy

- Don't wait for documents. Print your first page in as few as 8.3 seconds from energy-efficient sleep mode.
- This printer leads its class in low energy use—thanks to its innovative design and toner technology.⁵
- Speed through jobs on a variety of media. Print two-sided documents almost as quickly as one.
- Now almost 27% smaller—this printer fits in tight places and delivers quiet operation.³

Unparalleled fleet security and management

- Embedded features detect security threats and heal your printer, protecting it from boot up to shutdown.
- Protect sensitive data stored on the printer and in transit, using embedded and optional security features.⁷
- Protect sensitive business data with embedded and optional HP JetAdvantage Security Solutions.9
- Centralize control of your print environment with HP Web Jetadmin[®]—and help build business efficiency.

More. Pages, Performance, and Protection.

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Get more. Original HP Toner with JetIntelligence delivers more pages per cartridge than predecessors.²
- Help ensure the Original HP guality you paid for with anti-fraud and cartridge authentication technology.
- Print right away with a preinstalled toner cartridge. Replace it with an optional high-yield cartridge.

Stay connected with secure mobile printing options

- Enable 128-bit encrypted wireless direct printing from mobile devices—without accessing the network.¹¹
- Print with just a touch of your NFC-enabled mobile device to this printer—no network needed.¹²
- Easily access, print, and share resources with Ethernet and optional wireless networking.¹⁰


¹ Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see hycom/go/Ljclaims² More pages versus predecessor cartridges claim based on page-yield comparison of HP 55X High Yield Black Original Laser let Tomer Cartridges. For more information, see hp.com/go/Ljelamshoutsplies³ Compared with the HP Laser Jet Tomer 2 hor more information, see hp.com/go/Ljelamshoutsplies³ Compared with the HP Laser Jet Tomer 2 hor more information, see hp.com/go/Ljelamshoutsplies³ Compared with the HP Laser Jet Tomer 2 hor more information, see hp.com/go/Ljelamshoutsplies³ Compared with the HP Laser Jet Tomer 2 hor more information, see hp.com/go/Lielamshoutsplies³ Compared with the HP Laser Jet Enterprise P3015. ⁴ Purchase of optional paper trays required to reach maximum input capacity. ⁵ Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see hp.com/go/Ljclaims. ⁶ HP 87X High Yield Black Original Laser Jet Tomer Cartridges not included; please purchase separately. ⁷ Some features require additional purchase. Learn more at hp.com/go/printingsolutions. ¹⁰ Wireless networking requires purchase of the HP Jetdrect 2900mv Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. ¹¹ Wireless direct printing is standard on the HP Laser Jet Enterprise MSOG MN, Mobile device meds to be connected directly to the WFI network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/Dusinessmobileprinting ¹² Touch-to-print capability is standard on the HP Laser Jet Enterprise MSOG NM. Mobile device meds to be co

HP LaserJet Enterprise M506x

Product walkaround

- 1. Intuitive 4.3-inch (10.9 cm) color VGA control panel tilts up for easier viewing
- 2. Home button (returns to home screen)
- 3.250-sheet output bin
- 4. Easy-access USB port to print files directly¹
- 5. Top cover access to Original HP Toner cartridge with JetIntelligence
- 6. 100-sheet multipurpose tray
- 7. Two 550-sheet input trays for a 1,200 sheet total input capacity
- 8. Hardware Integration Pocket (HIP) for solution integration²
- 9. Built-in wireless direct³ /NFC touch-to-print⁴
- 10. Convenient front on/off switch
- 11. Built-in automatic two-sided printing
- 12. Rear door (access to the print path)
- 13. 512 MB standard memory (upgradeable to 1.5 GB) and a 1.2 GHz processor
- 14. Access port for optional Kensington-style lock
- 15. HP Jetdirect Gigabit/Fast Ethernet embedded print server
- 16. Hi-Speed USB 2.0 port (for connecting third-party devices)
- 17. Hi-Speed USB 2.0 printing port





Close-up of I/O ports

Series at a glance



0	
1	2



Model	HP LaserJet Enterprise M506n	1 HP LaserJet Enterprise M506dnHP LaserJet Enterprise M506x							
Product number	F2A68A	F2A69A	F2A70A						
100-sheet multipurpose tray, 550 sheet input tray 2	\checkmark	\checkmark	\checkmark						
550-sheet input tray 3	Optional	Optional							
2 550-sheet input trays 4 and 5 ^s	Optional	Optional	Optional						
Printer cabinet	Optional	Optional	Optional						
Control panel	4-line display with keypad	4-line display with keypad	4.3-inch (10.9 cm) touchscreen						
HP High Performance Secure Hard Disk	Optional	Optional	Optional						
Hardware Integration Pocket (HIP) ²	Not available	\checkmark							
Automatic duplexing	Not available	\checkmark							
Wireless direct ³ and NFC touch-to-print ⁴	Optional	Optional							
ENERGY STAR [®] and Blue Angel certified	Not available								

¹An administrator must enable the easy-access USB port before use. ²The Hardware Integration Pocket is only available for the HP Laser Jet Enterprise M506dn and M505x models. Enabling the HIP requires purchase of optional HP Internal USB Ports for M506/M527 accessory (F2A87A). Solutions deployed through the Hardware Integration Pocket may require additional purchase. ³Wireless direct printing is standard on the HP Laser Jet Enterprise M506x only. Requires purchase of optional HP Internal USB Ports for M506/M527 accessory (F2A87A). Solutions deployed through the Hardware Integration Pocket may require additional purchase. ³Wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/businessmobileprinting. ⁴Touch-to-print capability is standard on the HP Laser Jet Enterprise M506n/dn. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting. ⁵Based on ISO/IEC 19752 cartridge yields for HP 55X High Yield Black Original Laser Jet Toner cartridges. Compared with HP 87X High Yield Black Original Laser Jet Toner cartridges.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Next Business Day with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

Next Business Day Exchange:

Ships a permanent replacement unit overnight via premium airfreight, if hardware issue cannot be resolved remotely. Shipping charges are prepaid by HP.

For carepack availability visit: hp.com/go/cpc









Top features

Work quickly with the fastest first page out from sleep mode—on the most energy-efficient printer in its class.¹⁵ Launch two-sided printing right from the touchscreen. Reload paper less often with a substantial 2,300-sheet maximum capacity.⁴

Trust your printer is secure from power-up to power-down. Get strong protection for devices, data, and documents with embedded and optional security features while centrally managing your entire printer fleet.

Bring out the best in your printer. Print more high-quality pages than ever before,² using specially designed Original HP Toner cartridges with JetIntelligence. Count on the authentic HP quality you paid for—something the competition can't match.

Enable secure wireless printing in the office—with or without network access¹¹—and keep users connected with Ethernet and optional wireless networking. Print with just a touch from mobile devices.¹²

Accessories

F2A72A - HP LaserJet 550-sheet Paper Tray F2A73A - HP LaserJet Printer Cabinet G6W84A - 1GB DDR3 SlimDIMM B5L29A - HP Secure High Performance Hard Disk Drive F5S62A - HP Trusted Platform Module Accessory F2A87A - HP Internal USB Ports for M506, M527 B5L28A - HP Internal USB Ports J8031A - HP Jetdirect 2900nw Print Server (USB) J8030A - HP Jetdirect 3000w NFC/Wireless Accessory

Supplies

CF287A - HP 872A Black Original LaserJet Toner Cartridge, 9K yield CF287X - HP 872X Black Original LaserJet Toner Cartridge, 18K yield

Services

HP LaserJet Enterprise M506 Series

U8PK3E - HP 3 year Next Business Day + Defective Media Retention LaserJet M506 Hardware Support U8PK4E - HP 4 year Next Business Day + Defective Media Retention LaserJet M506 Hardware Support U8PK5E - HP 5 year Next Business Day + Defective Media Retention LaserJet M506 Hardware Support U8PK7E - HP 3 year Next Business Day Exchange LaserJet M506 Service UC742E - HP Network Install Mono Mid-range LaserJet Service

¹ Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see hp.com/go/Ljclaims² More pages versus predecessor cartridges claim based on page-yield comparison of HP 55X High Yield Black Original Laser/LE Toner Cartridges. For more information, see hp.com/go/Lipclaims² Compared with the HP Laser/LE Therprise P3015. ⁴ Purchase of optional paper trays required to reach maximum input capacity. ⁵ Based on HP etsEng using the ENERGY STAR[®] program's Typical Electricity Consumption (TEC) method or as reported in energystar gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details, see hp.com/go/Ljclaims. ⁶ HP BTX High Yield Black Original Laser/LE Toner Cartridges nor included; please purchase separately. ⁷ Some features require additional purchase. Learn more at hp.com/go/Lipclaims. ⁶ HP BTX High Yield Black Original Laser/LE Toner Cartridges nor included; please purchase separately. ⁷ Some features require additional purchase. Learn more at hp.com/go/Lipclaims. ⁶ HP BTX High Yield Black Original Laser/LE Toner Cartridges nor included; please purchase separately. ⁷ Some features require additional purchase. Learn more at hp.com/go/Lipclaims. ⁶ HP BTX High Yield Black Original Laser/LE Toner Cartridges nor included; please purchase separately. ⁷ Some features require additional purchase. Learn more at hp.com/go/Lipclaims. ⁶ HP Meb Jetadmin is free and available for download at hp.com/go/Lipclaims. ⁸ HP and May be limited during active VPN connections. ¹¹ Wireless direct printing is standard on the HP Laser/Jet Enterprise M506x only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP Laser/Jet Enterprise M506x/onl. Mobile device needs to be connected directly to the WiFi network of a wireless direct—capable MFP or printer prior to printing. Depending on mobile device,

HP LaserJet Enterprise M506 series

HP Auto-On/Auto-Off technology, Exp. Access USB, Mittellighter earthings, Mprise entited, Apple Arbert, HP ePhint, Dullen holp, Exp. Access USB, Mittellighter earthings, Mprise entited, Apple Arbert, HP ePhint, Hadwane Hings, Mprise entited, New Exp. Arbert, HP ePhint, Hadwane Hings, Mprise entited, New Exp. Arbert, HP ePhint, Hadwane Hings, Mprise entited, New Exp. Arbert, HP ePhint, Apple Arbert, HP ePhint, Hadwane Hings, Mprise entited, New Exp. Arbert, HP ePhint, Hadwane Hings, Mprise entited, New Exp. Arbert, HP ePhint, Hadwane Hings, Mprise entited, New Exp. Arbert, HP ePhint, HP ePhint, Apple Arbert, HP ePhint, MP ePhint, Apple Arbert, HP ePhint, Appl	prise M506dn(F2A	serJet Enterprise	Jet Enterpris	terprise M5	e M506dn(i	(F2A69A)				HP Las	erJet Ente	erprise M50	6x(F2A70A))
Piet et consiste Piet et cons	lack: As fast as 5.9	st Page Out Black:	age Out Black	t Black: As	: As fast as	as 5.9 sec; A	As fast as 11	1.3 sec ((100 V); ¹⁹			-		
Print Technites (ballow) Law, PPrint Resolution Technologies 300, 600, 40, PPrints Passe 1200, PPrints Passe 1200, PPrints Passe 1200, PPrint Resolution, Cale PPrints Passe 200, End Science 200, 800, 200, 400, PPrints Passe 200, End Science 200, 800, 200, 400, PPrints Passe 200, End Science 200, 800, 200, 400, PPrints Passe 200, End Science 200, 800, 200, 400, PPrints Passe 200, End Science 200, 800, 400, PPRInts Passe 200, 800, 400, PPRInts Passe 200, PPRInts Pas		-	-											
Print Cartridges Number 100.001 Disold Print Languages IPPLD, U.P.P.D. SPP DLS. S) dpi, 600 dpi, HP Fa	nologies: 300 dpi,	ogies: 300 dpi	300 dpi, 600	, 600 dpi, HI	HP FastRes	1200, HP P	ProRes 1	1200					
Standard The Languages IPPE DL, SPER SPER DL, SPER SPER SPER SPER SPER SPER SPER SPER	(black)	1 (blac	1 (bla	1 (black)	ck)									
IP PLate-Onlytage of the Increase, Easy Access SLD, Letter Billiproc. carting, May Access Actes, Apple Aniver, Heiler, May Access Actes, Apple Aniver, May Acces, Actes, Apple Aniver, Apple Aniver, Apple Aniver, App	only), HP postscrip	from the Web only	n the Web only	/eb only), HF	/), HP posts	tscript level	l 3 emulation	on, nativ	e PDF printin	ng (v 1.7)				
Sinular Gaussithiny H-specifies 2.0 perturbation in state first Efference 10008/ane-1 Network Eagly PerkiPsi-Ague Borjour Compatible (Marc US 10.2.4 or highen) SM(0/H) A203,4 ITTP HITPS (FT FT F	t Firmware, Open Extensibility Platform, Instant-on Technology, Dn/Auto-Off technology, Easy Access USB, Two-Sided Printing, gence cartridges, Mopria-certified, Apple AirPrint [™] , HP ePrint, JetIntelligi		HP Auto-On/Auto-Off technology, Easy Access USB, Two- JetIntelligence cartridges, Mopria-certified, wireless direct, N Apple AirPrint™, HP ePrint, Hardware Integration Pocke			-Sided Printing								
Intervert Capabilities IP-4/IP-6. Apple Borpur Compatible ONa: OS v10.2.4 or highest, SMMOV A2:03, HTTP ITTP: FTP: ITTP: I	aged Printing Adm	nt Utility, Managed	Itility, Manage	1anaged Prir	d Printing A	Administrat	tor); HP Web	b JetAdr	min Software	; HP Proxy	Agent Sof	tware; HP Je	etAdvantage	Security Mana
Interview Keedy	0Base-T/100Base-	ast Ethernet 10Bas	Ethernet 10Ba	et 10Base-T/	se-T/100Ba	Base-Tx, Gig	gabit Etherne	net 1000)Base-T					
wireless capability Optionsk, mability Meable Printing Capability Mesber Printin	/INS, IP Direct Mode	OOTP/DHCP, WINS,	P/DHCP, WINS	P, WINS, IP D	IP Direct M	Mode, WS P		IPP, XMP	PP, IPsec/Fire	wall; IPv6: [DHCPv6, M	1LDv1, ICMP	v6; IPv4: Aut	:o-IP, SLP, Telni
Robits Printing Capability IP ePrint: Apple ArPinit [®] , Mogra certified ¹⁶ IP ePrint: Apple ArPinit [®] , Mogra certified ¹⁶ Memory 12 GHz / Mard disk: tpotoniol.5006 minimum: 15 GB tpot/12 GHz tpot/12 GHz Processor Speed 12 GHz / Mard disk: tpotoniol.5006 minimum: encrypted hard disk: doi:e tpot/12 GHz Duty Cycle Reaction, Construction, Constructio	-in Gigabit Etherne	tandard (built-in Gi	dard (built-in G	uilt-in Gigab	igabit Ether	ernet)								
Control Description Description Description Description Description Description Description Advances Description Descriptio		es.												
Processor Speed 11.2 GHz / Mart dities (Dround: 500 GB meinitum encypted hand disk dive Dary Cycle Monthy, letter: () to 150,000 pages ² , Recommended Monthy Page Values: 2000 to 750 ^{dl} Paper Handling Input Capacities: 100-sheet multipurpose Tray 1, 550-sheet point Tray 2, and 31McSoda, automatic duples printing MSGdan. 8 McSodu () to 650 sheets standard labels legal: Up to 1200 sheets standard labels legal: Up to 220 shi ¹ Product Waight 25.5 lb ¹⁴ 25.5 lb ¹⁴ 25.5 lb ¹⁴ 23.1 lb ¹ 34.1 lb ² Warranty Features Monto Standard labels legal: Up to 1200 sheets standard l	HP ePrint; Apple AirPrint [™] ; Mopria-certified ¹⁶				HP ePrint; Apple AirPrint™; Mopria-certified; Wireless direct printing; touch-to-print ¹⁷					ect printing; NF				
Daty Syste Monthly, letter: Up to 150,000 pages ² , Recommended Monthly Page Volume: 2000 to 7500 ⁴⁸ Paper Handling Imput Capacities: 100-sheet multipurpose Tray: 1,550-sheet input Tray: 2, and 3IM506A, Logites (Shade (MSS)), Up to 550 sheets standard Males (segal, Up to 7200 sheets standard Males (segal, Up to														
Paper Handling Inget Capacities: 100-sheet multipurpose Tray 1, 550-sheet standard MoSoka, atomaic dapkes printing Mysolich & Mysolich, Natomaic Logica, Up to 1200 sheets standard MoSoka, Multipurpose Tray 1: 161 to 33 (b): 100 sheets standard MoSoka, Multipurpose Tray 2: Mysolich, Media Types apporters: Paper United, Paper Multipurpose Tray 1: 161 to 33 (b): 100 sheets, Media Type Sanger Test, Paper United, Paper Multipurpose Tray 1: 161 to 33 (b): 100 sheets, Media Type Sanger Test, Paper United, Paper Multipurpose Tray 1: 161 to 33 (b): 100 sheets, Media Type Sanger Test, Paper United, Paper Multipurpose Tray 1: 161 to 33 (b): 100 sheets, Media Type Sanger Test, Paper United, Paper Multipurpose Tray 1: 100 sheets, Media Type Sanger Test, Paper United, Paper Multipurpose Tray 1: 100 sheets, Media Type Sanger Test, Paper United, Paper Multipurpose Tray 1: 100 sheets, Markan Multipurpose Tray 2: 100 sheets, Markan Multipurpose Tray 2: 100 sheets, Markan Multipurpose Tray 1: 100 sheets, Marka	GB minimum encr	Optional, 500 GB r	ional, 500 GB	500 GB minii	minimum e	encrypted l	hard disk dr	rive						
Output Capacities: 250-sheet output bit: Up 7: 250 sheets standard lidels legisl: Digits Opported: Payor (Doolder). Automatic Usandard MiX06dh, A KOShob, Envelope Fedder, Service, Service, Service, Service, Standard Lidels legisl: Digits Opported: Payor (Doolder). Neuroimatic Digits Payor (Envelope Fedder). Service, Serv	mmended Monthl	pages ⁷ ; Recomme	jes ⁷ ; Recomm	ecommende	ended Mon	onthly Page	e Volume: 2	2000 to	7500 ⁸					
Product Weight 25.5 lb ¹⁴ 25.9 lb ¹⁴ 34.9 lb ¹⁵ What's in the box HP Laser/et MS06x Printer; Introductory HP Black Laser/et Toner Cartridge (~6000 pages); CDs containing software and electronic documentation; Warranty Guides; HIGS; Erratas; S50-sheet Paper T. Warranty Features Develop: eterum to bench warranty Energy Efficiency Compliance ENERGY STAP® certified; Blue Angel; CECP; EPEAT® Control Panel 4-line color LDD; 19 buttons (Cancel job, Up and Down arrow, Select, Back, Home, 12-key and Help); 3 LED midicator lights (Metrition, Ready, Busy) 4.3-in touchescreen with color color touchscreen with color clores graphics) Software Included For Windows OS: HP Software Installer/Uninstaller, HP PCL 9 Printer Drive; HP Device Experience (DXP), HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; (Derets users to http://www.HP.com or OS App Soure for Laser Les Software) Forts and TypeFaces 105 Internal TrueType forts scalable in HP PCL, 92 Internal scalable fortions (PP Home, XPP neu, Vindows St Compatible with Univescrept PS P3 all 2:2-bit editions (excluding RT OS for Tablets), Windows OS compatible with Univescrept PS P3 all 2:2-bit editions (excluding RT OS for Tablets), Windows OS (In OS HP Distor); Univer Windows SP PS P3 all 2:2-bit editions (excluding RT OS for Tablets), Windows OS (In OS HPLP); Univer, Marce Weight, Professional, 14, 15, 16, 17, 17, 10, 12, 10, 12, 10, 13, 10, 13, 10, 14, 10, 13, 10, 14, 10, 13, 14, 15, 16, 17, 10, 10, 10, 13, 12, 2- 66-bit editions (excluding RT OS for Tablets), Windows SG Soropatible with Universal Print Drive; (Priom HP C	river support provio rinted, prepunched 6, 5 x 8, 8.5 x 13, er	ns: Manual (driver : ad, plain, preprinted kecutive, 4 x 6, 5 x	Manual (driver blain, preprinte itive, 4 x 6, 5 x	(driver supp reprinted, pr x 6, 5 x 8, 8	support pro d, prepunct 8, 8.5 x 13	orovided) (M Iched, recyc 3, envelope	4506n); Auto cled, rough); es (No. 10, N	tomatic); envelo Monarch	(standard)(M opes; labels; o h); Tray 2: let	1506dn & M cardstock; t tter, legal, e	1506x); En transparer executive, i	velope Feed ncies; user-d 8.5 x 13; Op	ler: No; Star efined; Med tional trays :	ndard Paper ia Weight 3+: letter, lega
What's in the box IP Laser Jet MS06x Printer; Introductory IP Black Laser Jet Toner Catridge (-6000 pages); (Ds containing software and electronic documentation; Warranty Guides; HIGS; Erratas; SSO-sheet Paper T: Warranty Features One-yea; return to bench warranty Control Panel 4-line color LCD; 19 buttons (Cancel job, Up and Down arrow, Select, Back, Home, 12-key and Help); 3 LED indicarl lights (Martino, Ready, Buss) 4.3-in touchscree Software Included For Windows OS: HP Software Installer/Uninstaller, HP PCL 6 Printer Drive, HP Dexice Experience (DXP), HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; (Directs users to http://www.HP.com or OS App Source for Lase Let Software) Fonts and Typefaces 105 internal TureType fonts scalable in HP PCL, 92 internal Scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in; 1) internal Unicide Fonts (Andle Mono World Type);2) Internal Window Compatible With In-Box Driver: Windows XP SP3 all 2-bit editions (Revuluing RT OS for Tables); AC Goromatble With Universal Print Driver (Trant HP CM, 92 internal Scalable in HP PCL, 92 internal Scalable in ThureType for Social and the diston (scaluding RT OS for Tables); AC Goromatble With Universal Print Driver (Trant HP CM, 92 internal Scalable Vite); AP (Social Print Print, View, Viet); AP (Social Print Print, Vie	1	5.16 x 11.73 in	x 11.73 in	3 in					W x D x H: 16	5.46 x 14.80	0 x 18.94 i	in ¹³ ; Maxim	um: 16.46 x	25.16 x 18.94
Warranty Features One-year (grunn to bench warranty) Energy Efficiency Compliance ENERGY STAR® entified; Blue Angel; CECP; EPER* Control Panel 4-line color LCD; 19 buttons (Cancel job, Up and Down arrow, Select, Back, Home, 12-key and Help; 3 LED indicator lights (Attention, Ready, Busy) 4.3-in toutdscreen with color starters Software Included For Windows OS: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Deute Experience (DXP), HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; Unicets users to Intro//www.HP. composite on GS App Source on CS App Source on CS App Source on CS App Source on CS App Source and IPDS Emulation available at Http://www.HP. composite/Busel HP DCL 9 Printer Driver, HP Deute Experience (DXP), HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; Unicets users to Intro//www.HP. compatibile with In-Row available at Http://www.HP. compatibile with In-Row available at Http://www.HP. compatibile with In-Row available at Http://www.PA. compatibile with In-Row available in HP DCL 92 Internal Services, Ventoous VISE and 122- 66-4-bit editions (Mondows Sol 2014) 22- 66-4-bit editions, Windows Sol 2014) 22- 66-4-bit editions, Windows Sol 2014 22- 66-4-bit editions (Mondows Sol 2014) 22- 61-4-bit editions, Windows Sol 2014) 22- 61-4-bit editions, Windows Sol 2014) 22- 61-4-bit editions (Mondows Sol 2014) 22- 61-4-bit editions, Windows Sol 2014) 22- 61-4-bit editions, Windows Sol 2014) 22- 61-4-bit editions, Windows Sol 2014 22- 61-4-bit editions, Windows Sol 2014) 22- 61-4-bit editions, Windows Sol 2014, 22- 61-4-bit editions, Windows Sol 2014, 22- 61-4-bit	5.9 lb ¹⁴	25.9 lb	25.9 ll	25.9 lb ¹⁴	0 ¹⁴						3	4.9 lb ¹⁵		
Warranty Features One-year, return to bench warranty Energy Efficiency Compliance ENERGY STAR® certified; Blue Angel; CECP; EPEAT® Control Panel 4-line color LCD; 19 buttons (Cancel job, Up and Down arrow, Select, Back, Harne, 12-&ey and Help); 31 ED indicator lights (Attention, Ready, Busy) 4.3-in touchscreen with color Display Description 4-line LCD (Color graphics) 4.3-in color touchscree Software Included For Windows 05: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Destcript Level 3 emulation (Euro symbol Duil-In); Tinternal Unicode Fonts (Andale Mon World Type); 2 Internal Sciable fonts in HP DCL, 92 internal sciable fonts in HP potscript Level 3 emulation (Euro symbol Duil-In); Tinternal Unicode Fonts (Andale Mon World Type); 2 Internal Windows 05: compatible with In-Box Driver; Windows XP SP3 all 32-bit editions (Full San hmorry carcing; HP Laser Jef Conts and PDS Emumity. Professional, etc), Windows 7 all 32-bit editions (Hundows VS SP3 all 32-bit CP1); PyS1 all 32-bit editions (Hundows VS SP3 all 32-bit editions (Hundows VS SP3 all 32-bit CP1); PyS1 all Adl (Hundows VS SP3 all 32-bit editions (Hundows VS SP3 all 32-bit editions (Hundows VS	oftware and electro	s containing softwa	ntaining softw	a software a	are and ele	lectronic do	ocumentatio	on: Warr	rantv Guides	: HIGS: Errat	itas: 550-s	heet Paper	Trav (M506x	conly)20
Energy Efficiency Compliance ENERGY STAR® certified; Blue Angel; CECP; EPEAT® Control Panel 4-line color LCD; 19 buttons (Cancel Job, Up and Down arrow, Select, Back, Home, 12-key and Help; 3 LED indicator lights (Attention, Ready, Busy) 4-3-in clothersen with color Display Description 4-line LCD (color graphics) 4-3-in clothersen with color Software Included For Windows OS: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manads; Compatible Operating Systems 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postcriptel Level 3 emulation for Software Included Software Included Windows OS compatible with In-Box Driver: Windows XP SP3 all 32-bit editions (PM Home; XP Pro, etc.), Windows Vista all 32-bit editions (RexLuding RT OS for Tablets), Windows Y SP3 all 32-bit editions (RexLuding RT OS for Tablets), Windows Y SP3 all 32-bit editions (RexLuding RT OS for Tablets), Windows Y SP3 all 32-bit editions (RexLuding RT OS for Tablets), Windows SP HP Discripters available from thry//www.hp.com and Apple Store: OS XI 0.8 Mourtina Long SY ST abit S2-6 4-bit editions (RexLuding RT OS for Tablets), Windows SP EV all 32-2 & 64-bit editions (RexLuding RT OS for Tablets), Windows SP EV 2007/2008 22-2, 64-bit (SP1) Standard/Enterprise/ Discription Compatible Network Operating Windows SP EV 2005 (SPH Print Driver: Windows SP EV 2007/2008 22-64-bit (SP1) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows S0: 0. S0, Ubution (10.04, 11.10, 12.04, 12.0, 13.10, 14.04								,	,	,,				, , ,
Control Panel 4-line color LCD; 19 buttons (Cancel job, Up and Down arrow, Select, Back, Home, 12-key and Help; 3 LED indicator lights (Attention, Ready, Busy) 4.3-in touchscreen with color Diplay Description 4-line LCD (Color graphics) 4.3-in touchscreen with color Software Included For Windows OS: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; Fonts and Typefaces 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol bulit-in); 1 internal Unicode Fonts (Andale Mono World Type)-2 Internal Windo Cambraly, additional font solutions available via htird-party flash memory cards; HP Lase Let Fonts and IPOS Emulation available at http://www.hp. com/go/asserieffonts Compatible Operating Systems Windows OS compatible with In-Box Driver: Windows XP 929 all 32-bit editions (KND Phome, XP Pro, ett), Windows Vista all 32-bit editions (Windows XP 92) 312-8 64-bit editions (excluding RT OS for TabletS); Windows XP 92 Compatible Operating Systems Windows OS compatible with In-Box Driver: Windows Server 2003/2003 R2 32-bit (SP1)//www.hp.com Adpels Store): OS 110.0 Notenting: PM Excerciption (Home Basic, Permium, Professional, etc), Windows Server 2008 32-/64-bit (SP1) Storadard/Enterprise? Compatible Network Operating Windows OS compatible with In-Box Driver: Windows Server 2003/2003 R2 32-bit (SP1)/SP1 Standard/Enterprise? Systems Servicea), Windows Server 2008 R2 64							AT®							
Display Description 4-line LCD (color graphics) 4.3-in color touchscree Software Included For Windows 05: HP Software Installer/Uninstaller, HP PCL 6 Printer Diver, HP Device Experience (DXP), HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; (Directs users to http://www.HP.com or 05 App Soure for Laser/LE Software) Fonts and Typefaces 105 Internal TrueType fonts scalable in HP PCL, 92 Internal scalable fonts in HP postscript Level 3 emulation (Euro symbol buil-in); Internal Unicode Fonts (Andale Mone World Type): 21 Internal Windo Compatible Operating Systems Windows 05 compatible with In-Box Driver: Windows 70 131 22-8 64-bit editions (excluding RT 05 for Tablets), Windows 70 131 22-8 64-bit editions (excluding RT 05 for Tablets), Windows 70 131 22-8 64-bit editions (excluding RT 05 for Tablets), Windows 70 131 22-8 64-bit editions (excluding RT 05 for Tablets), Windows 70 131 22-8 64-bit editions (excluding RT 05 for Tablets), Windows 80 201 22-3 64-bit editions (excluding RT 05 for Tablets), Windows 80 201 22-3 64-bit editions (excluding RT 05 for Tablets), Windows 80 201 22-3 64-bit (SP1) Sp2) Standard/Enterprise (V Low Mnr (11, 11, 15, 16, 17), Bos (30, 50, 0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 40.00) Compatible with ln-Box Driver: Windows Server 2003/2003 R2 22-bit (SP1)/SP2) Standard/Enterprise (V Low Res 3 Errorinal Services), Windows Server 2003/2003 R2 2-164-bit (SP1)/SP2) Standard/Enterprise (V Low Res 4 Reminal Services), Windows Server 2008/2008 R2 32-164-bit (SP1)/SP2) Standard/Enterprise (V Low Res 4 Reminal Services), Windows Server 2008/2008 R2 32-164-bit (SP1)/SP2) Standard/Enterprise (V Low Res 4 Reminal Services), Windows Server 2008/2008 R2 32-164-bit (SP1)/SP2) Standard/Enterprise (V Low Res 4 Remininal Services										4.3-in	n touchscre	een with col	or graphics	
Software Included For Windows 0S: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Update, Product Registration Assid, HP Web Services Assist (HP Connected), Online user manuals; Directs users to http://www.HP.com or 0S App Soure for Laserlet Software) Fonts and Typefaces 105 Internal TrueType fonts scalable in HP PCL, 92 Internal scalable fonts in HP postcriptic Level 3 emulation (Euro symbol built-in); Internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows CS compatible with In-Box Driver: Windows XP SP3 all 32-bit editions (kUtions available at Http://www.hp.com/go/Laserjetfonts Compatible Operating Systems Windows OS compatible with In-Box Driver: Windows XP SP3 all 32-bit editions (kUtions available for to Tablets). Windows Nots all 32-a 64-bit editions (kUtions VP Pro, etc), Windows Vista all 32-bit editions (kutiong VT OS for Tablets). Windows Nots all 32-a 64-bit editions (kutiding VT OS for Tablets). Windows Nots all 32-a 64-bit editions (kutiding VT OS for Tablets). Windows Nots all 32-a 64-bit editions (kutiding VT OS for Tablets). Windows Nots all 32-a 64-bit editions (kutiding VT OS for Tablets). Windows Nots all 32-a 64-bit editions (kutiding VT OS for Tablets). Windows Nots all 32-a 64-bit editions (kutiding VT OS for Tablets). Windows Nots all 32-a 64-bit editions (kutiding VT OS for Tablets). Windows Nots all 32-a 86-bit editions (kutiding VT OS for Tablets). Windows Nots all 32-a 64-bit editions (kutiding VT OS for Tablets). Windows Server 2008 2006 R2). Windows Selver 1000 VS Nosemite, Moliton Security Note Nots Server 2008 2006 R2). Windows Server 2008 2008 R2) (Standard/Enterprise) (Cutier & Terminal Services). Windows So server 2008 R2 64-bit (SP1) Standard/Enterprise) (Cutier & Terminal Services). Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise) (Cutier & Terminal Services). Windows	-				-				4.3-in color touchscreen					
Cambrial):additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPOS Emulation available at Http://www.hp.com/go/laserjetfonts Compatible Operating Systems Windows OS compatible with In-Box Driver: Windows SP SP3 all 32-bit editions (XP Home, XP Pro, etc), Windows Sta all 32-bit editions (MP Homes, XP Pro, etc), Windows S0 for Tablets), Windows 7 all 32-8 64-bit distins (secluding RT OS for Tablets), Windows 7 all 32-8 64-bit editions (windows 8/8 all 32-8 64-bit editions) (windows 8/8 all 32-8 64-bit editions (windows 8/8 all 32-8 64-bit editions) (windows 8/8 all 32-8 64-bit editions (windows 8/8 all 32-8 64-bit editions) Compatible Network Operating Windows 8/8 all 32-8 for all set with In-DS HIVER: Windows 7 all 32-8 for all set with In-DS HIVER: Windows 7/8 al	For Windows OS: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; For Mac OS: Welcon (Directs users to http://www.HP.com or OS App Soure for Laser/Jet Software)							: Welcome Scr						
32-& 64-bit editions (excluding RT 05 for Tablets), Windows 10 al 32-& 64-bit editions (Home Basic, Prenium, Professional, etc), Windows 7 all 32-& 64-bit editions (Home Basic, Prenium, Professional, etc), Windows 7 all 32-& 64-bit editions (Home Basic, Prenium, Professional, etc), Windows 7 all 32-& 64-bit editions (Home Basic, Prenium, Professional, etc), Windows 7 all 32-& 64-bit editions (Home Basic, Prenium, Professional, etc), Windows 7 all 32-& 64-bit editions (Home Basic, Prenium, Professional, etc), Windows 7 all 32-& 64-bit editions (Home Basic, Prenium, Professional, etc), Windows 7 all 32-& 64-bit editions (Home Basic, Prenium, Professional, etc), Windows 7 all 32-& 64-bit editions (Home Basic, Prenium, Professional, etc), Windows 51, 10.0 Yosemite; Mobile 05 (IW Windows 8/8.1/10 RT; Linux 05 (In-05 HPLIP); SUSE Linux (12.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (110, 04, 11.10, 12.04, 13.10, 14.04) Compatible Network Operating Systems Windows OS compatible with In-Box Driver: Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-f64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-f64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-f64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-f64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-f64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-f64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-f64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windo	IP LaserJet Fonts a	mory cards; HP Las	'y cards; HP La	s; HP LaserJ	iserJet Font	nts and IPD	S Emulation	n availal	ble at Http://	www.hp.co	om/go/lase	rjetfonts		
Systems Services), Windows Server 2008 R2 64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services); Windows Socmpatible with Universal Print Driver (UPD) or Product-Specific drivers from HP.com: Win 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Windows Server 2008/2008 R2:: Citrix XenApp 5.0, Citrix XenApp 5.0, Citrix XenApp 5.0; Citrix Xe	blets); Windows OS 7 all 32- & 64-bit ec ble Store): OS X 10.7 3, 14, 15, 16, 17), OS: UNIX ¹¹	g RT OS for Tablets c), Windows 7 all 3 c.com and Apple St , Linux Mint (13, 14 Other OS: L	OS for Tablet Vindows 7 all m and Apple S nux Mint (13, 1 Other OS:	Tablets); W vs 7 all 32- & Apple Store) t (13, 14, 15 ner OS: UNIX	s); Windows 32- & 64-bi tore): OS X 4, 15, 16, 1 UNIX ¹¹	vs OS comp bit editions, K 10.8 Mour 17), Boss (3	oatible with l , Windows 8 ntain Lion, 0 (3.0, 5.0), Ub	Univers 8/8.1 all OS X 10. buntu (1	al Print Drive 1 32- & 64-bi .9 Mavericks, 10.04, 11.10,	er (From HP t editions (e , OS X 10.10 , 12.04, 12.	2.com): Wir excluding F 0 Yosemite .10, 13.04,	ndows XP SF RT OS for Ta e; Mobile OS , 13.10, 14.0	23 32- & 64- blets), Windo (In-OS driver)4, 14.10), D	bit editions (XI ows 10 all 32- rs): iOS, Androi ebian (6.0.x, 7
for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); CD-ROM or DVD drive, or Internet connection; Dedicated USB or network connection or Wireless connection; 200 MB avail. compatible hardware (For OS hardware requirements see http://www.microsoft.com); MAC : Mac OS X 10.8 Mountain Lian, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Internet; USB; 1 GB available hard disk; t OS hardware requirements see http://www.planets: Input voltage: 100 to 127 VAC, 60 Hz; Input voltage: 200 to 240 VAC, 50 Hz (Not dual voltage, power supply varies by par code identifier); Power Consumption: 741.98 watts (Active Printing), 13.72 watts (Ready), 2.51 watts (Sleep), 0.08 watts (Auto-Off), 0.08 watts (Off); Typical Electricity Consumption: 1.886 kW Acoustics Acoustic Power Emissions: 6.8 B(A); Acoustic Pressure Emissions: 5.4 dB(A) ⁶	6 compatible with U 8 R2 32-/64-bit (SP 003/2003R2): Citrix 08/2008 R2): Citrix cell.com/iprint): Nov cd v5.86+, 8.1 recor / SP3 (32-bit only)); Windows OS com er 2008/2008 R2 ows Server 2003/2 ws Server 2008/20 tp://www.novell.cc it) recommend v5. Windows XP / SP	indows OS cor 008/2008 R2 Server 2003/ Server 2008/2 /www.novell.c ecommend v5 ndows XP / SP	OS compati 008 R2 32-/ 2003/2003 2008/2008 10008 10008/2008 100008/2008 10008/2008 10008/2008 10000	npatible wit 32-/64-bit 2003R2): Ci 2008 R2): Ci 2008 R2)	vith Universa it (SP1/SP2 Citrix MetaF Citrix XenAp Citrix XenAp Novell iPri recomment only) recom	al Print Driv 2) Standard/I Frame Prese pp 5.0 (Plus int Appliance d v5.94+, W mend v5.82	ver (UPD /Enterpr sentation s Feature ce v1.0, I Vindows 12+)) or Product- rise/Datacent n Server, 3.0, e Pack 2 & 3) Novell Open i 7 (32-bit / 6	-Specific dri ter (+ Cluste Citrix Metal I, Citrix Xen/ Enterprise S 64-bit) recor	ivers from er & Termi Frame XP App 6.0/6. Server 11/ mmend v5	HP.com: Wi nal Services Presentatio 5/7.5, Citrix /SP1, Novell 5.82+, Windo	ndows Serve), Windows S n Server (Fea XenDesktop Open Enterp ows Vista (32	er 2003/2003 Gerver 2012/2 ature Release 9 5.6/7.0/7.5, (prise Server 2 2-bit / 64-bit)
code identifier); Power Consumption: 741.98 watts (Active Printing), 13.72 watts (Ready), 2.51 watts (Sleep), 0.08 watts (Auto-Off), 0.08 watts (Off); Typical Electricity Consumption: 1.886 kW Acoustics Acoustic Power Emissions: 6.8 B(A); Acoustic Pressure Emissions: 54 dB(A) ⁶														
						-								
Operating Environment Operating Temperature Ranger 59 to 90.5% Recommended Operating Temperaturer 63.5 to 77% Storage Temperature Ranger -4 to 140% Non-Operating Humidity Ranger 10 to 90% RH Operating	Acoustic Pressur	ions: 6.8 B(A); Aco	6.8 B(A); Acc	(A); Acousti	oustic Press	ssure Emis	ssions: 54 d	dB(A) ⁶						
8% RH; Recommended Humidity Operating Ranges 20 to 70% RH									rating Humio	dity Range	:: 10 to 90	% RH; Opera	ating Humid	lity Range: 10
Security Management Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authenti IPsec Configuration using IPsec Plug-in	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPSec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in													



(800) LASER-20 1 www.lasercare.com

¹ AirPrint^{Ma} and iOS 4.2 or later devices require an 802.11 wireless network connection to the printer. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint and the AirPrint Logo are trademarks of Apple[®] Inc. Wireless operations are compabile with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at hp.com/go/mobileprinting. ³ Power requirements are based on the country/registration priorate is odol the product warranty. ³ Typical Electricity (consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-houes (kWh). ⁴ Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled. ⁵ Declared yield value in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies. ⁶ Acoustic values are subject to change. For current information see hp.com/support. Configuration tested: the model of priorates and BMPs to astisfy the demands of connected individuals or groups. ⁶ HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. ³ HP SureSupply alerts you when your print cartidge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required. To learn more, high com/go/SureSupply. ¹⁰ Paper handling accessories are offered separately and with an additional cost. ¹¹ Not all "Compatible Operating Systems" are supported with inbox software available on HP.com (Modelscripts are available on the system configuration, software application, drive

Learn more at hp.com

© Copyright 2015 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.



manufactured before 2017.