Data sheet

HP Color LaserJet Enterprise MFP M682 series



This HP Color LaserJet with JetIntelligence merges performance, energy efficiency, and security.

This HP Color LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network with the industry's deepest security.



HP Color LaserJet Enterprise Flow MFP M682z

The world's most secure printing1

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.3
- Give workgroups what they need to succeed. Easily choose and deploy over 180 HP and third-party solutions.

High speed performance meets energy efficiency

- Scanning is now faster than ever; duplex scan speeds up to 180 ipm. Scan to SharePoint and more.8
- This MFP wakes up fast and prints your first page faster—in as quickly as 12.5 seconds.9
- This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology.6
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes 4 x 6" to legal .

More Pages, Performance, and Protection⁵

- ColorSphere3 toner formulation, combined with an automatic media sensor, help provide leading print quality
- Original HP Toner cartridges with JetIntelligence supply 39% more pages per color cartridge vs predecessor.⁵
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.

Give workgroups the speed they need


- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 150 pages into the automatic document feeder for fast, unattended scanning.

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, sist it p.com/go/Printers ThatProtect. For more information: hp.com/go/printersecurityclaims ² Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at hp.com/go/printsecurity. ³ HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin. ⁴ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ISJ More pages versus predecessor cartridges claim based on page-yield comparison of HP 653X High Yield Color Original LaserJet Toner Cartridges. Islam based on page-yield comparison of HP 653X High Yield Color Original LaserJet Toner Cartridges. See hp.com/go/learnaboutsupplies Forergy claim based on TEC data reported on energystar gow as of January 2017. Data normalized to determine energy efficiency of in-class laser printers with published speed of 50 to 66 pm. Subject to device settings. Actual results may vary. ⁷ HP 657X High Yield Original LaserJet Toner Cartridges not included; please purchase separately. ⁸ Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software ⁹ Measured after 15 min in sleepe. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleepe.



Product walkaround

- 1. Hardware Integration Pocket¹
- 2. Easy-access USB port2
- 3. 1,000-sheet 3-bin stapler/stacker with offset job printing (Flow z models only)
- 4. Built-in automatic two-sided printing
- 5. HP High-Performance Secure Hard Disk
- 6. 550-sheet tray 2
- 7. 1x550-sheet/2,000-sheet HCI feeder and stand³
- 8. 150-sheet ADF with single-pass, two-sided scanning and HP EveryPage⁴
- 9. 8.0-inch (20.3 cm) icon-based color touchscreen
- 10. Pull-out keyboard4
- 11. 100-sheet multipurpose tray 1
- 12. Lower-right door (access to print path)
- 13. Front door access to toner cartridges
- 14. Fax port5
- 15. Slot for cable-type security lock
- 16. Built-in Gigabit Ethernet
- 17. Hi-Speed USB 2.0 printing port
- 18. USB port for connecting external USB devices



Close-up of I/O ports

Series at a glance



Model	HP Color LaserJet Enterprise Flow MFP M682z

J8A17A
Up to 60/56 ppm
\checkmark
√
Not available
Not available
Not available
\checkmark
√
√
Embedded Wi-Fi Direct®7/ Bluetooth® Low Energy10
Optional ¹⁰

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Same Day Onsite – 4 hour 9x5:

Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

Next Business Day Onsite with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

For carepack availability visit: hp.com/go/cpc













Top features

Only HP enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.

With speeds up to 60 pages per minute, fast first page out and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Get more pages and help protect your MFP using Original HP Toner cartridges with JetIntelligence.⁵

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs fast—up to 180 ipm®—and avoid extra steps with a Flow MFP designed for maximum productivity.

Accessories	
P1B09A	HP Color LaserJet 550-sheet Paper Feeder
P1B10A	HP Color LaserJet 550-sheet Paper Feeder with Stand and Cabinet
P1B11A	HP Color LaserJet 3x550-sheet Paper Feeder with Stand
P1B12A	HP Color LaserJet 1x550/2000-sheet Feeder and Stand
J8031A	HP Jetdirect 2900nw Print Server
J8030A	HP Jetdirect 3000w NFC/Wireless Accessory
F5S62A	HP Trusted Platform Module Accessory
B5L28A	HP Internal USB Ports
B5L31A	HP Foreign Interface Harness
E5K48A	HP 1GB DDR3 x32 144-Pin 800MHz SODIMM
CC487A	HP LaserJet MFP Analog Fax Accessory 500
Supplies	
CF450A	HP 655A Black Original LaserJet Toner Cartridge (~12,500 yield)
CF470X	HP 657X High Yield Black Original LaserJet Toner Cartridge (~28,000 yield)
CF451A	HP 655A Cyan Original LaserJet Toner Cartridge (~10,500 yield)
CF471X	HP 657X High Yield Cyan Original LaserJet Toner Cartridge (~23,000 yield)
CF452A	HP 655A Yellow Original LaserJet Toner Cartridge (~10,500 yield)
CF472X	HP 657X High Yield Yellow Original LaserJet Toner Cartridge (~23,000 yield)
CF453A	HP 655A Magenta Original LaserJet Toner Cartridge (~10,500 yield)
CF473X	HP 657X High Yield Magenta Original LaserJet Toner Cartridge (~23,000 yield)
P1B91A	HP LaserJet 110V Maintenance Kit (~150,000 pages)
P1B92A	HP LaserJet 220V Maintenance Kit (~150,000 pages)
P1B93A	HP LaserJet Image Transfer Belt Kit (~150,00 pages)
P1B94A	HP LaserJet Toner Collection Unit (~100,000 pages)
J8J95A	HP 300 ADF Roller Replacement Kit (~150,000 pages)
J8J96A	HP Staple Cartridge Refill (5,000 staples)
Services	
U9NP3E	HP 3 year NBD Service w/Defective Media Retention
U9NP6E	HP 3 year 4 hour 9x5 Service w/Defective Media Retention
U9NX1PE	HP 1 year Post Wty NBD Service w/Defective Media Retention
U9NX3PE	HP 1 year Post Warranty 4 hour 9x5 Service w/DMR

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/Printers ThatProtect. For more information: hp.com/go/printersecurity. 3 HP Web leadmin is available for download at no additional charge at hp.com/go/webjetadmin. 4 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. [5] More pages versus predecessor cartidges claim based on page-yield comparison of HP 653X High Yield Color Original Laser Jet Toner Cartridges. For more information, see http://www.hp.com/go/learnaboutsupplies 6 Energy claim based on TEC data reported on energystar.gov as of January 2017. Data normalized to determine energy efficiency of in-class laser printers with published speed of 50 to 60 ppm. Subject to device settings. Actual results may vary. 7 HP 657X High Yield Original Laser Jet Toner Cartridges not included; please purchase separately. 8 Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. 9 Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.

HP Color LaserJet Enterprise MFP M682 series

echnical Specifications	HP Color Laser Jet Enterprise Flow MFP M682z(J8A17A)
FP functions	·
	Print, copy, scan, fax; MFP multitasking supported: Yes
nt speed	Letter: Up to 60 ppm black; Up to 60 ppm color ¹⁰ ; First Page Out Black: As fast as 5.7 sec; First Page Out Color: As fast as 5.7 sec ¹²
nt resolution	Black (fine lines: Up to 1200 x 1200 dpi; Colour (fine lines): Up to 1200 x 1200 dpi
nt Technology	Laser; Print Resolution Technologies: HP ImageRet 3600; 600 x 600 dpi; HP ProRes 1200 (1200 x 1200 dpi); Pantone© Calibrated
nt Cartridges Number	4 (1 each black, cyan, magenta, yellow)
ndard Print Languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7), URF (AirPrint)
nter Smart Software Features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB
nter Management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver
an Type / Technology	Type: Flatbed, ADF; Technology: Charge Coupled Device (CCD)
an Resolution	Hardware: Up to 600 x 600 dp; (Optical: Up to 600 dpi
an File Format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), TRF (OCR), Searchable PDF (OCR), Searchable PDF (OCR), Fearchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MT XPS, PDF/A, TEXT (OCR), RTF (OCR), RTF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, Print Ready files (prn., pd., cht)
an Input Modes	Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications; HP Scan or user application via TWAIN
an Size	ADF: 8.5 x 34.0 in Maximum; 2.7 x 5.8 in Minimum; Flatbed: 8.75 x 14.38 in
an Speed	Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) ¹⁸ , Duplex: Up to 180 ipm (b&w), up to 180 ipm (color)
anner Advanced Features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto-orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone PDF, JPG, TIF, MTIF
depth / Grayscale levels	24-bit / 256
ital Sending Standard atures	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Cro Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR
py Speed	Black (letter): Up to 60 cpm; Color (letter): Up to 60 cpm ¹⁴
oy Resolution	Black (text and Graphics): Up to 600 × 600 dpi; Color (text and Graphics): Up to 600 × 600 dpi
ximum Number of Copies	Up to 9999
pier Settings	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B (different media sizes)
x Speed	Up tα: 33.6 kbps; Letter: 3 sec per page ¹⁷
x Resolution	υρ του 300 κτορο; textuel program (a see per page) Black (fine lines: Up to 300 x 300 dpi (400 dpi for received faxes only); Black (standard); 203 x 98 dpi
k Smart Software Features	Stored faxes; Fax forwarding; Scale to fit; Fax address book; LAMinternet fax; Fax number confirmation; Holiday fax schedule
x Features	Fax Memory: Up to 500 pages; Auto Fax Reduction Supported: Yes; Auto-Redialing; Yes; Fax Delayed Sending; No; Distinctive Ring Detection Supported: No; Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: No; Polling Supported: Yes (poll to receive only); Fax Telephone Mode Supported: No; Unk Barrier Supported: No; Maximum Speed Dialing Numbers: Up to 1000 numbers (each with 210 destinations); PC Interface Supported: Yes; Rem Retrieval Capability Supported: No; Telephone Handset Supported: No
andard Connectivity	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax; 1 1 Wi-Fi direct 802.11b/g/n; 1 Bluetooth low energy
twork Capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-Tx, 802.3az (EEE) support on Fast Ethernet and Gig Links; iPsec (standard); 802.11a/b/g/n wireless networking (standard).
twork Ready	Standard (built-in Gigabit Ethernet); Included Wi-Fi Direct and Bluetooth low energy
reless Capability	Yes, Built-in Wi-Fi Direct, Bluetooth low energy (BLE); Optional, enabled with purchase of HP Jetdirect 2900nw Print Server J8031A
bile Printing Capability	HP ePrint; Apple AirPrint™; Mopria™-certified; Wireless Direct Printing; Bluetooth Low Energy; Google Cloud Print 2.0
mory	Standard: 1.5 GB (printer); 1 GB (scanner); Maximum: 3 GB
ocessor Speed	1.2 GHz / Hard disk: Standard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater)
ity Cycle	Monthly, letter: Up to 120,000 pages Recommended Monthly Page Volume: 2000 to 17,000
per Handling	Input Capacities: 100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 2,000-sheet high capacity input tray 4, 150-sheet automatic document feeder; Up to 3200 sheets standard; MP Tray; Up to 10 envelopes (or 10mm stan height) labels legal; Output Capacities: 500-sheet output trays 0.50-sheet output stapler stacker, two-sided printing; Up to 1,000 sheets standard labels legal; Duplex Options; Automatic (standard) Auto Document Feeder Capacity Standard, 150 sheets; Emvelope Feeder: No: Standard Paper; Tays: 4; Media Types Supported: Paper (plain; light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy glossy, actra heavy, extra heavy glossy, trays, extra heavy, extra heavy glossy, actra heavy, extra heavy, extra heavy glossy, actra heavy, extra heavy glossy, actra heavy, extra heavy
oduct Dimensions	W x D x H: 25.87 x 25.87 x 50.00 lir; Maximum: 39.06 x 38.07 x 60.20 lin
oduct Weight	168.1 lb ⁴
nat's in the box	HP Color Laser Jet Multifunction Printer; HP Black Original Laser Jet Toner Cartridge (~12,500 yield), HP Cyan, Magenta and Yellow Original Laser Jet Toner Cartridges (~10,500 yield each) (toner cartridges installed); CD with software install Guide); Power cord ²
arranty Features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://hp.com/support to learn about HP award winning service and support options in your
orau Efficiona : Come !!	region. ENFOCYCTABB qualified thus basels CFCD-FDFATS Cities.
ergy Efficiency Compliance	ENERGY STAR® qualified; Blue Angel; CECP; EPEAT® Silver
introl Panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Extended Keyboard
splay Description	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)
ftware Included	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals
nts and Typefaces mpatible Operating Systems	105 internal TrueType fonts scalable in HP PC1, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambard Calibri, Cambard Calibri, Cambard C
	42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions (Windows R) 8.1 all 32- & 64-bit editions (Excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)
mpatible Network Operating stems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix for Windows Server 2008/2008R2/2008 R2 SP1, Citrix for Windows Server 2008 Terminal Services 32- and 64-bit, Citrix XenApp 5.0 (Fig. 15 frow Windows Server 2008 Terminal Services 32- and 64-bit, Citrix XenApp 5.0 (Fig. 15 frow Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix XenApp 6.0/6.5/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix XenDesktop 5.6 (For Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix XenDesktop 5.6 (For Windows Server 2012 and 2012 R2 Terminal Services, 32- and 64-bit), Citrix XenDesktop 5.6 (For Windows Server 2012 and 2012 R2 Terminal Services, 32- and 64-bit), Citrix XenDesktop 5.6 (For Windows Server 2012 and 2012 R2 Terminal Services, 32- and 64-bit), Citrix XenDesktop 7.0 (For Windows Server 2012 and 2012 R2 Terminal Services), Windows Server 2012 and 2012 R2 Terminal Services, Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise (For Utster & Terminal Services), Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise (For Utster & Terminal Services), Windows Server 2008 R2 SP1 Standard/Enterprise (For Utster & Terminal Services), Windows Server 2008 R2 SP1 Standard/Enterprise (For Utster & Terminal Services), Windows Server 2008 R2 SP1 Terminal Services), Windows SP2 SP1 Terminal Services), Windows SP2 SP2 Terminal SP2 T
inimum System Requirements	PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com; MAC: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info
wer	Power Supply Type: Built in 115V or 220 V Power Supply (not dual voltage, power supply varies by part number with option code identifier); Power Requirements: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/-3Hz), 6 A; Power Consumption; 900 watts (printing/copying), 47 watts (ready), 0.9 watts (sleep), 0.9 watts (Auto Off/Manual On), 0.1 (Manual Off) ⁵ , Typical Electricity Consumption (TEC) number: ES: 2.72 kWh/Week; BA: 2.68 kWh/Week6; Blue Angel (Sleep mode): 0.73 Watts7
coustics	
perating Environment	Acoustic Power Emissions: 6.8 B(A); Acoustic Pressure Emissions: 5.3 dB(A) Operating Temperature Range: 59 to 86%; Recommended Operating Temperature: 6.3.5 to 77%; Storage Temperature Range: 4 to 104%; Non-Operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 80% R Recommended Humidity Operating Range: 30 to 70% RH
ecurity Management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; protonal HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key Kerberos authentication: Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP-; EAP-TLS); SNMPQ3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 1

¹ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.peat.net for registration status by country. ² Cartridges included; yields 10,500 color (C/Y/M) and 12,500 black pages. Pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies. Pages may vary based on customer printing conditions and usage. ³ With print cartridges ⁴ With print cartridges ⁵ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device. ⁶ Based on the BA TEC method with the following possible exceptions: I minute or less sleep delay setting, Wi-Fi disabled. ⁷ Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For more information, wisit http://www.hp.com/go/learnaboutsupplies ⁸ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies ⁹ High-Performance Secure Hard Disk (AES 256 hardware encryption or greater); Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk); U.S. Government: Standard, FIPS 140-2 validated hard disk, minimum 500 BB 10 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ¹³ Measured using ISO/IEC 24735, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configurati

Learn more at hp.com

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

